

1 μ m

Mag = 8.51 K X


EHT = 4.00 kV

Signal A = SE2 Date :2 Jun 2017

WD = 4.2 mm

File Name = BC650_01.tif





200 nm

Mag = 30.00 K X

EHT = 4.00 kV

Signal A = SE2 Date :2 Jun 2017

WD = 4.2 mm

File Name = BC650_02.tif





1 μm


Mag = 8.80 K X

EHT = 4.00 kV

Signal A = SE2 Date :2 Jun 2017

WD = 4.2 mm

File Name = BC650_03.tif



1 μm

Mag = 8.43 K X


EHT = 4.00 kV

Signal A = SE2 Date :2 Jun 2017

WD = 4.2 mm

File Name = BC650_04.tif





1 μm

Mag = 5.17 K X


EHT = 4.00 kV

Signal A = SE2 Date :2 Jun 2017

WD = 4.2 mm

File Name = BC650_05.tif





1 μm

Mag = 8.60 K X


EHT = 4.00 kV

Signal A = SE2 Date :2 Jun 2017

WD = 4.2 mm

File Name = BC650_06.tif





1 μm

Mag = 8.78 K X

EHT = 4.00 kV

Signal A = SE2 Date :2 Jun 2017

WD = 4.2 mm

File Name = BC650_07.tif



200 nm

Mag = 32.43 K X


EHT = 4.00 kV

Signal A = SE2 Date :2 Jun 2017

WD = 4.2 mm

File Name = BC650_08.tif





1 μ m

Mag = 5.39 K X


EHT = 4.00 kV

Signal A = SE2 Date :2 Jun 2017

WD = 4.2 mm

File Name = BC650_09.tif





200 nm

Mag = 30.00 K X


EHT = 4.00 kV

Signal A = SE2 Date :2 Jun 2017

WD = 4.2 mm

File Name = BC650_10.tif





200 nm

Mag = 40.00 K X


EHT = 4.00 kV

Signal A = SE2 Date :2 Jun 2017

WD = 4.2 mm

File Name = BC650_11.tif





1 μm

100.0 μm

Mag = 20.00 K X

EHT = 5.00 kV


Signal A = SE2 Date :23 Feb 2017

WD = 4.4 mm

File Name = BC0650_12.tif

Store resolution = 2048 * 1536 N = 6
Noise Reduction = Line Avg Scan Speed = 8





200 nm

100.0 μm

Mag = 30.00 K X

EHT = 5.00 kV


Signal A = SE2 Date :23 Feb 2017

WD = 4.4 mm

File Name = BC0650_13.tif

Store resolution = 2048 * 1536 N = 5
Noise Reduction = Line Avg Scan Speed = 8





1 μm

100.0 μm

Mag = 10.00 K X

EHT = 5.00 kV


Signal A = SE2 Date :23 Feb 2017

WD = 4.4 mm

File Name = BC0650_14.tif

Store resolution = 2048 * 1536 N = 5
Noise Reduction = Line Avg Scan Speed = 8





200 nm

100.0 μm

Mag = 30.00 K X

EHT = 5.00 kV


Signal A = SE2 Date :23 Feb 2017

WD = 4.4 mm

File Name = BC0650_15.tif

Store resolution = 2048 * 1536 N = 5
Noise Reduction = Line Avg Scan Speed = 8





1 μ m

100.0 μ m

Mag = 6.50 KX

EHT = 5.00 kV


Signal A = SE2 Date :23 Feb 2017

WD = 4.4 mm

File Name = BC0650_16.tif

Store resolution = 3072 * 2304 N = 6
Noise Reduction = Line Avg Scan Speed = 8





200 nm

100.0 μm

Mag = 40.00 K X

EHT = 5.00 kV


Signal A = SE2 Date :23 Feb 2017

WD = 4.4 mm

File Name = BC0650_17.tif

Store resolution = 2048 * 1536 N = 6
Noise Reduction = Line Avg Scan Speed = 8





200 nm

100.0 μ m

Mag = 30.00 K X

EHT = 5.00 kV


Signal A = SE2 Date :23 Feb 2017

WD = 4.4 mm

File Name = BC0650_18.tif

Store resolution = 2048 * 1536 N = 5
Noise Reduction = Line Avg Scan Speed = 8





200 nm

100.0 μm

Mag = 30.00 K X

EHT = 5.00 kV


Signal A = SE2 Date :23 Feb 2017

WD = 4.4 mm

File Name = BC0650_19.tif

Store resolution = 2048 * 1536 N = 6
Noise Reduction = Line Avg Scan Speed = 8





1 μm

100.0 μm

Mag = 8.00 K X

EHT = 5.00 kV


Signal A = SE2 Date :23 Feb 2017

WD = 4.4 mm

File Name = BC0650_20.tif

Store resolution = 2048 * 1536 N = 6
Noise Reduction = Line Avg Scan Speed = 8





200 nm

100.0 μm

Mag = 40.00 K X

EHT = 5.00 kV


Signal A = SE2 Date :23 Feb 2017

WD = 4.4 mm

File Name = BC0650_21.tif

Store resolution = 2048 * 1536 N = 6
Noise Reduction = Line Avg Scan Speed = 8





1 μm

100.0 μm

Mag = 20.00 K X

WD = 4.4 mm

EHT = 5.00 kV

File Name = BC0650_22.tif

Signal A = SE2 Date :23 Feb 2017

Store resolution = 2048 * 1536 N = 7
Noise Reduction = Line Avg Scan Speed = 8

