

10  $\mu$ m

Mag = 6.00 K X

WD = 4 mm

EHT = 5.00 kV Signal A = SE2

File Name = DM1010\_01.tif

Date :23 Oct 2013




10  $\mu$ m

Mag = 6.00 K X

EHT = 5.00 kV Signal A = SE2


Date :23 Oct 2013



WD = 4 mm

File Name = DM1010\_02.tif






10  $\mu$ m

Mag = 6.00 K X

EHT = 5.00 kV Signal A = SE2


Date :23 Oct 2013



WD = 4 mm

File Name = DM1010\_03.tif






10  $\mu$ m

Mag = 6.00 K X

EHT = 5.00 kV Signal A = SE2


Date :23 Oct 2013



WD = 4 mm

File Name = DM1010\_04.tif





10  $\mu$ m

Mag = 6.00 K X


WD = 4 mm

EHT = 5.00 kV Signal A = SE2

File Name = DM1010\_05.tif

Date :23 Oct 2013





10  $\mu$ m

Mag = 6.00 K X


WD = 4 mm

EHT = 5.00 kV Signal A = SE2

File Name = DM1010\_06.tif

Date :23 Oct 2013






10  $\mu$ m

Mag = 6.00 K X

EHT = 5.00 kV Signal A = SE2


Date :23 Oct 2013



WD = 4 mm

File Name = DM1010\_07.tif





10  $\mu$ m

Mag = 6.00 K X


WD = 4 mm

EHT = 5.00 kV Signal A = SE2

File Name = DM1010\_08.tif

Date :23 Oct 2013





10  $\mu$ m

Mag = 6.00 K X


WD = 4 mm

EHT = 5.00 kV Signal A = SE2

File Name = DM1010\_09.tif

Date :23 Oct 2013





10  $\mu$ m

Mag = 6.00 K X


WD = 4 mm

EHT = 5.00 kV Signal A = SE2

File Name = DM1010\_10.tif

Date :23 Oct 2013





10  $\mu$ m

Mag = 6.00 K X


WD = 4 mm

EHT = 5.00 kV Signal A = SE2

File Name = DM1010\_11.tif

Date :23 Oct 2013






10  $\mu$ m

Mag = 6.00 K X

EHT = 5.00 kV Signal A = SE2


Date :23 Oct 2013



WD = 4 mm

File Name = DM1010\_12.tif





200 nm

H

Mag = 40.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :9 Oct 2018

WD = 4.2 mm

File Name = DM1010\_13.tif





200 nm

H

Mag = 40.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :9 Oct 2018

WD = 4.2 mm

File Name = DM1010\_14.tif





200 nm

H

Mag = 30.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :9 Oct 2018

WD = 4.2 mm

File Name = DM1010\_15.tif





200 nm

H

Mag = 30.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :9 Oct 2018


WD = 4.2 mm

File Name = DM1010\_16.tif





200 nm



Mag = 40.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :9 Oct 2018

WD = 4.2 mm

File Name = DM1010\_17.tif





200 nm

H

Mag = 40.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :9 Oct 2018

WD = 4.2 mm

File Name = DM1010\_18.tif





1  $\mu$ m

Mag = 20.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :9 Oct 2018

WD = 4.2 mm

File Name = DM1010\_19.tif





1  $\mu$ m

Mag = 20.00 K X

EHT = 5.00 kV

Signal A = SE2 Date :9 Oct 2018

WD = 4.3 mm

File Name = DM1010\_20.tif

