

1 μ m
┌───┐

Mag = 8.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :10 Jul 2015

WD = 4.2 mm

File Name = Nit328_01.tif





1 μ m
H

Mag = 6.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :10 Jul 2015

WD = 4.2 mm

File Name = Nit328_02.tif





1 μ m
┌───┐

Mag = 8.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :10 Jul 2015

WD = 4.2 mm

File Name = Nit328_03.tif





1 μm

Mag = 8.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :17 Nov 2017

WD = 4.3 mm

File Name = Nit328_04.tif





300 nm
└───┘

Mag = 30.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :17 Nov 2017

WD = 4.3 mm

File Name = Nit328_05.tif





1 μ m

Mag = 8.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :17 Nov 2017

WD = 4.3 mm

File Name = Nit328_06.tif





1 μm

Mag = 20.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :17 Nov 2017

WD = 4.3 mm

File Name = Nit328_07.tif





200 nm
└─┘

Mag = 30.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :17 Nov 2017

WD = 4.3 mm

File Name = Nit328_08.tif





200 nm
└─┘

Mag = 30.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :17 Nov 2017

WD = 4.3 mm

File Name = Nit328_09.tif





200 nm
└───┘

Mag = 40.00 K X

EHT = 5.00 kV

Signal A = SE2 Date :17 Nov 2017

WD = 4.3 mm

File Name = Nit328_10.tif

