

3 μ m

Mag = 2.50 K X


EHT = 4.00 kV

Signal A = SE2 Date :28 Sep 2017

WD = 5.3 mm

File Name = Nit51_01.tif





3 μ m

Mag = 2.50 K X

EHT = 4.00 kV

Signal A = SE2 Date :28 Sep 2017

WD = 5.3 mm

File Name = Nit51_02.tif





3 μ m

Mag = 2.50 K X

EHT = 4.00 kV

Signal A = SE2 Date :28 Sep 2017

WD = 5.3 mm

File Name = Nit51_03.tif





3 μ m

Mag = 2.50 K X


EHT = 4.00 kV

Signal A = SE2 Date :28 Sep 2017

WD = 5.3 mm

File Name = Nit51_04.tif





200 nm

Mag = 30.00 K X

EHT = 4.00 kV

Signal A = SE2 Date :28 Sep 2017

WD = 5.3 mm

File Name = Nit51_05.tif



200 nm

Mag = 40.00 K X


EHT = 4.00 kV

Signal A = SE2 Date :28 Sep 2017

WD = 5.3 mm

File Name = Nit51_06.tif





200 nm

Mag = 40.00 K X


EHT = 4.00 kV

Signal A = SE2 Date :28 Sep 2017

WD = 5.3 mm

File Name = Nit51_07.tif





300 nm

Mag = 25.00 K X


EHT = 4.00 kV

Signal A = SE2 Date :28 Sep 2017

WD = 5.3 mm

File Name = Nit51_08.tif





200 nm

Mag = 40.00 K X


EHT = 4.00 kV

Signal A = SE2 Date :28 Sep 2017

WD = 5.3 mm

File Name = Nit51_09.tif





200 nm

Mag = 30.00 K X


EHT = 4.00 kV

Signal A = SE2 Date :28 Sep 2017

WD = 5.3 mm

File Name = Nit51_10.tif





200 nm

Mag = 35.00 K X


EHT = 4.00 kV

Signal A = SE2 Date :28 Sep 2017

WD = 5.3 mm

File Name = Nit51_11.tif





200 nm

Mag = 40.00 K X


EHT = 4.00 kV

Signal A = SE2 Date :28 Sep 2017

WD = 5.3 mm

File Name = Nit51_12.tif





200 nm

Mag = 30.00 K X


EHT = 4.00 kV

Signal A = SE2 Date :28 Sep 2017

WD = 5.3 mm

File Name = Nit51_13.tif





200 nm

Mag = 30.00 K X

EHT = 4.00 kV


Signal A = SE2

Date :28 Sep 2017

WD = 5.3 mm

File Name = Nit51_14.tif





200 nm

Mag = 35.00 K X

EHT = 4.00 kV

Signal A = SE2 Date :28 Sep 2017

WD = 5.3 mm

File Name = Nit51_15.tif

