

2 μ m
┌
└

Mag = 4.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :10 Jul 2015

WD = 4.4 mm

File Name = BC850_01.tif





200 nm



Mag = 30.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :10 Jul 2015

WD = 4.4 mm

File Name = BC850_02.tif





200 nm



Mag = 30.00 K X

EHT = 5.00 kV

Signal A = SE2 Date :10 Jul 2015

WD = 4.3 mm

File Name = BC850_03.tif





1 μm
|-----|

Mag = 20.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :10 Jul 2015

WD = 4.3 mm

File Name = BC850_04.tif





200 nm



Mag = 30.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :7 Oct 2016

WD = 4.2 mm

File Name = BC850_05.tif





1 μ m
H

Mag = 4.50 K X


EHT = 5.00 kV

Signal A = SE2 Date :7 Oct 2016

WD = 4.2 mm

File Name = BC850_06.tif





200 nm



Mag = 40.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :7 Oct 2016

WD = 4.2 mm

File Name = BC850_07.tif





300 nm



Mag = 25.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :7 Oct 2016

WD = 4.2 mm

File Name = BC850_08.tif





200 nm



Mag = 30.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :7 Oct 2016

WD = 4.2 mm

File Name = BC850_09.tif





200 nm



Mag = 30.00 K X

EHT = 5.00 kV

Signal A = SE2 Date :7 Oct 2016

WD = 4.2 mm

File Name = BC850_10.tif





300 nm



Mag = 25.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :7 Oct 2016

WD = 4.2 mm

File Name = BC850_11.tif





200 nm



Mag = 28.54 K X


EHT = 5.00 kV

Signal A = SE2 Date :7 Oct 2016

WD = 4.2 mm

File Name = BC850_12.tif





200 nm



Mag = 40.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :7 Oct 2016

WD = 4.2 mm

File Name = BC850_13.tif





200 nm



Mag = 30.00 K X

EHT = 5.00 kV

Signal A = SE2 Date :7 Oct 2016

WD = 4.2 mm

File Name = BC850_14.tif





1 μm
|-----|

Mag = 16.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :7 Oct 2016

WD = 4.2 mm

File Name = BC850_15.tif





200 nm



Mag = 40.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :7 Oct 2016

WD = 4.2 mm

File Name = BC850_16.tif





200 nm



Mag = 35.00 K X

EHT = 5.00 kV

Signal A = SE2 Date :7 Oct 2016

WD = 4.2 mm

File Name = BC850_17.tif





300 nm



Mag = 25.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :7 Oct 2016

WD = 4.2 mm

File Name = BC850_18.tif





200 nm
┌───┐

Mag = 40.00 K X


EHT = 5.00 kV

Signal A = SE2 Date :7 Oct 2016

WD = 4.2 mm

File Name = BC850_19.tif





100 nm

H

Mag = 50.00 K X

EHT = 5.00 kV

Signal A = SE2 Date :7 Oct 2016

WD = 4.2 mm

File Name = BC850_20.tif

