

Towards a stable nomenclature for Thai ferns

STUART LINDSAY¹, DAVID J. MIDDLETON¹, THAWEESAKDI BOONKERD² & SOMRAN SUDDEE³

ABSTRACT. There have been many changes to family and genus delimitation in Thai ferns since the publication of volume 3 (Pteridophytes) of the Flora of Thailand. These changes are discussed and current names for all taxa, including those recently described or recorded for Thailand, are presented. A new combination is made in *Hymenasplenium*.

KEY WORDS: Ferns, Flora of Thailand, nomenclature, Thailand.

INTRODUCTION

There are approximately 670 taxa of ferns in Thailand comprising about 5–7% of the total vascular flora (Middleton, 2003). The ferns were published in volume 3 of the Flora of Thailand (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989) and 596 taxa were recognised as occurring in Thailand (excluding the lycophytes: Lycopodiaceae, Selaginellaceae and Isoetaceae). A number of papers have since been published in which new taxa have been described or new records have been added to the pteridophyte diversity of Thailand (Mitsuta, 1985; Iwatsuki et al., 1998; Parris, 1998a; Hovenkamp et al., 1998; Nooteboom, 1998; Boonkerd & Nooteboom, 2001; Boonkerd & Pollawatn 2000, 2002a, 2002b, 2006; Lindsay & Middleton, 2004, 2009c; Lindsay et al., 2004, 2008; Suksathan, 2004; Boonkerd et al., 2004; Boonkerd, 2006). Of particular significance amongst these are Boonkerd & Pollawatn (2000), which is a list of all the pteridophytes in Thailand (including an additional 27 taxa) with distribution maps and many photographs, and Boonkerd et al. (2004), in which many more species were added. A total of 71 fern taxa have been newly recorded or newly described for Thailand since the publication of the Flora of Thailand accounts. This rate of addition of new taxa and new records to a recently completed Flora account reflects the fact that pteridophytes had previously often been neglected on traditional collecting expeditions (and were therefore not available to Tagawa & Iwatsuki) and is testament to the relatively poor state of our taxonomic knowledge of them compared to many angiosperm plant groups.

The taxonomy of ferns in Thailand has also been subject to considerable flux due to differences of opinion over the delimitation of families, genera and species. One need only glance at the lists of synonymy to see that very many species have had homotypic combinations made in many different genera (e.g. several species of *Selliguea* also have combinations in *Polypodium*, *Phymatopsis*, *Pleopeltis*, *Phymatodes*, *Crypsinus*

¹ Royal Botanic Garden Edinburgh, 20A Inverleith Row, Edinburgh, EH3 5LR, Scotland, UK.

² Department of Botany, Faculty of Science, Chulalongkorn University, Bangkok 10330, Thailand.

³ The Forest Herbarium, Department of National Parks, Wildlife and Plant Conservation, Chatuchak, Bangkok 10900, Thailand.

and *Phymatopteris* - see Lindsay & Middleton, 2009a). This indecision about the best placement of species in genera is also manifest at the family level where the limits of several families have changed considerably over time and between contemporary Flora projects, leading, in some cases, to the abandonment of families altogether in some parts of Flora Malesiana (e.g. Kramer, 1971; Holtum, 1978, 1991) in favour of “groups” of genera.

In recent years phylogenetic techniques, particularly using molecular data, have been used to attempt to solve the many problems in fern familial and generic delimitation (see Smith et al., 2006, 2008 and references cited therein). This has led to a greater consensus on the delimitation of families and genera. We are eventually beginning to see the possibility of stability in the names applied to the ferns of Thailand.

THE TABLES

In this paper we apply the family and genus concepts summarised by Smith et al. (2006, 2008) to the ferns of Thailand and present the data in two tables. For Davalliaceae we follow the more recent generic concepts of Kato & Tsutsumi (2008). In Table 1 the families and genera recognised by Smith et al. (2006, 2008) and Kato & Tsutsumi (2008) are compared to the families and genera recognised in the Flora of Thailand accounts. In Table 2 all fern taxa now known to occur in Thailand are listed using the up-to-date family and genus concepts from Smith et al. (2006, 2008) and Kato & Tsutsumi (2008), with occasional modifications from other recent works (e.g. Parris, 2007). These are compared to the names used for the same taxon from the Flora of Thailand and from Boonkerd & Pollawatt (2000). For species delimitation we follow Tagawa & Iwatsuki (1979, 1985, 1988, 1989), unless other pieces of taxonomic work have superseded these publications (e.g. Hovenkamp et al., 1998), or we have come to our own differing opinion in specific groups. In some cases the authorship of names is not the same as has been previously published. We have checked the problematic ones and only the correct authorships are used without highlighting the discrepancies. Likewise the spelling of specific epithets not in conformity with the International Code of Botanical Nomenclature (McNeill et al., 2006) has been corrected in all columns without comment. We include taxa which have been published as occurring in Thailand. We also include a small number of taxa which we provisionally record for Thailand from our own observations but which still await formal publication. We acknowledge that this list might be incomplete judging by the rate at which taxa have been newly recorded from Thailand in the last 20 years. However, this list has been compiled to facilitate the development of an on-line multi-access key to the ferns of Thailand (Lindsay & Middleton, 2009b) and new taxa can easily be added to this.

The “nine new records” in Mitsuta (1985) were not included in the Flora of Thailand. Some of them are, however, attributable to species already known from Thailand. We have included a genuine additional record (*Monachosorum henryi* Christ) and as yet unconfirmed new records (*Thelypteris laxa* (Franch. & Sav.) Ching and *Diplazium doederleinii* (Luerss.) Makino) in Table 2. The new record *Diplazium okinawaense* Tagawa has been synonymised to *Diplazium virescens* Kunze following Shieh et al. (1994). We have redetermined the other material cited in Mitsuta (1985) to taxa already reported in the Flora of Thailand, thus: *Colysis flexiloba* (Christ) Ching var. *undulatorepanda* (C.Chr.) Ching to *Leptochilus ellipticus* (Thunb.) Noot.; *Crypsinus trisectus*

(Baker) Tagawa to *Selliguea hirsuta* (Baker) S.Linds.; *Microlepia trichoclada* Ching to *Microlepia herbacea* Ching & C.Chr. ex Tardieu & C.Chr.; *Thelypteris angulariloba* Ching to *Thelypteris hirsutipes* (C.B.Clarke) Ching; and *Thelypteris esquirolii* (Christ) Ching to *Cyclosorus falcilobus* (Hook.) Panigrahi.

Major changes in family delimitations

Table 1 summarises the changes in family delimitation between the Flora of Thailand accounts and those currently recognised and lists the genera in each of the families. These changes include losing some familiar families altogether, such as Parkeriaceae (now in Pteridaceae) and Athyriaceae (now mostly in Woodsiacae), and changing the delimitation of others quite radically, such as Polypodiaceae (which now includes Grammitidaceae) and Dryopteridaceae (which has lost *Tectaria* and its relatives and gained genera from Lomariopsidaceae, Davalliaceae and Athyriaceae). Pteridaceae has also undergone major changes and is now much larger with five subfamilies which do not correspond well to former families; e.g. Pteridaceae subfamily Pteridoideae includes only *Pteris* from the previously delimited Pteridaceae, with all of the other genera previously having been placed in Parkeriaceae.

Major changes in generic delimitation

Table 2 lists all the currently used names for Thai ferns and compares them to Pteridophytes in Thailand (Boonkerd & Pollawatn, 2000) and Flora of Thailand (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989). A total of 191 taxa have a name which is now different to the name used in the Flora of Thailand accounts, most of these as a result of changes in generic delimitation. Changes in generic delimitation are particularly extensive in Davalliaceae, Hymenophyllaceae, Polypodiaceae and Thelypteridaceae. Well known genera such as *Grammitis*, *Polypodium*, *Trichomanes* and *Vittaria* are no longer recognised in Thailand. Table 2 also provides references to the literature on new taxa, new records and in cases where the taxon epithet is different to that used in the Flora of Thailand account (usually due to synonymy). If there is no reference given then the change is made here. Black dots are used to indicate a taxon which is under a different name to that used in the original Flora of Thailand account; circles are used to indicate a taxon which is new to Thailand, either as a newly described taxon or a new record.

ACKNOWLEDGEMENTS

We thank The Leverhulme Trust for financial support for this work; the Curators and Collection Managers of herbaria that have loaned material or welcomed us on visits (notably A, BK, BKF, BM, C, CMU, E, K, SING); the library staff of the Royal Botanic Garden Edinburgh for their help in locating or obtaining protalogues and other references; and Christopher Fraser-Jenkins, John McNeill, Barbara Parris, Alan Smith and John Thompson for advice and information.

Table 1. Comparison of family delimitation and composition between Smith et al. (2006, 2008) and Flora of Thailand (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989). Note that within Pteridaceae the subfamily name Vittarioideae has priority over Adiantoideae (cf. Smith et al., 2006, 2008) and the subfamilial name Cryptogrammoideae, which did not exist for Smith et al. (2006, 2008), has now been published (Lindsay & Middleton, 2009a).

Smith et al. (2006, 2008) family	Genera currently recognized in Thailand. Those in bold (26) were not recognized in Flora of Thailand	Corresponding family (or families) in Flora of Thailand (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
ASPLENIACEAE	<i>Asplenium, Hymenophyllum</i>	ASPLENIACEAE
BLECHNACEAE	<i>Blechnum, Brainea, Senocholaena, Woodwardia</i>	BLECHNACEAE (<i>Blechnum, Brainea, Woodwardia</i>), PTERIDACEAE (<i>Senocholaena</i>)
CIBOTIACEAE	<i>Cibotium</i>	DICKSONIACEAE
CYATHEACEAE	<i>Cyathea</i>	CYATHEACEAE
DAVALLIACEAE	<i>Araiostegiella, Davallia, Davallodes, Humata, Welia</i>	DAVALLIACEAE
DENNSTAEDTIACEAE	<i>Dennstaedtia, Histiopteris, Hypolepis, Microlepia, Pieridium</i>	DENNSTAEDTIACEAE
DIPTERIDACEAE	<i>Cheiropleuria, Diplopterus</i>	DIPTERIDACEAE (<i>Dipteris</i>), CHEIROPLEURIACEAE (<i>Cheiropleuria</i>)
DRYOPTERIDACEAE	<i>Acrophorus, Arachniodes, Bolbitis, Ctenitis, Cyrtomium, Peranema, Didymochlaena, Dryopteris, Elaphoglossum, Hypodematum, Leucostegia, Lomagramma, Polystichum, Teratophyllum</i>	DRYOPTERIDACEAE (<i>Acrophorus, Arachniodes, Ctenitis, Cyrtomium, Didymochlaena, Dryopteris, Polystichum</i>), ATHYRIACEAE (<i>Hypodematum</i>), DAVALLIACEAE (<i>Leucostegia</i>), LOMARIOPSIDACEAE (<i>Bolbitis, Elaphoglossum, Lomagramma, Teratophyllum</i>)
EQUISETACEAE	<i>Equisetum</i>	EQUISETACEAE
GLEICHENIACEAE	<i>Dicranopteris, Diplopterygium, Gleichenia, Sticherus</i>	GLEICHENIACEAE
HYMENOPHYLLACEAE	<i>Abrodictyum, Callistopteris, Cephalomanes, Crepidomanes, Didymoglossum, Hymenophyllum, Vandenboschia</i>	HYMENOPHYLLACEAE
LINDSEACEAE	<i>Lindsaea, Sphenomeris, Tapeinidium</i>	LINDSEACEAE
LOMARIOPSIDACEAE	<i>Cycloleptis, Lomariopsis, Nephrolepis</i>	LOMARIOPSIDACEAE (<i>Lomariopsis</i>), DRYOPTERIDACEAE (<i>Cycloleptis</i>), OLEANDRACEAE (<i>Nephrolepis</i>)
LYGODIACEAE	<i>Lygodium</i>	SCHIZAEACEAE
MARATTIACEAE	<i>Angiopteris, Christensenia, Ptisana</i>	MARATTIACEAE

Smith et al. (2006, 2008) family	Genera currently recognized in Thailand. Those in Bold (26) were not recognized in Flora of Thailand	Corresponding family (or families) in Flora of Thailand (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
MARSILEACEAE	<i>Marsilea</i>	MARSILEACEAE
MATONIACEAE	<i>Matonia</i>	Absent
OLEANDRACEAE	<i>Oleandra</i>	OLEANDRACEAE
OPHIOGLOSSACEAE	<i>Botrychium, Helminthostachys, Ophioglossum</i>	OPHIOGLOSSACEAE
OSMUNDACEAE	<i>Osmunda</i>	OSMUNDACEAE
PLAGIogyriaceae	<i>Plagiogyria</i>	PLAGIogyriaceAE
POLYPODIACEAE	<i>Acrosorus, Aglaomorpha, Arthromeris, Belyisia,</i> <i>Calymmodon, Christiopeltis, Chrysogrammitis,</i> <i>Ctenopterella, Dasygrammitis, Drymaria, Goniophlebium,</i> <i>Gymnogrammitis, Lecanopteris, Lemnaphyllum,</i> <i>Leptochilus, Leptochilus, Loxogramme, Microsorum,</i> <i>Neocheriopteris, Platycerium, Pyrrhia, Selliguea,</i> DAVALLIACEAE (<i>Gymnogrammitis</i>), GRAMMITIDACEAE (<i>Acrosorus, Calymmodon, Prosapta, Scleroglossum</i>)	POLYPODIACEAE (<i>Aglaomorpha, Arthromeris,</i> <i>Belyisia, Christiopeltis, Cotsosia, Drymaria, Lemnaphyllum,</i> <i>Leptochilus, Lepiochilus, Loxogramme, Microsorum,</i> <i>Neocheriopteris, Platycerium, Pyrrhia, Selliguea</i>), DAVALLIACEAE (<i>Gymnogrammitis</i>), GRAMMITIDACEAE (<i>Acrosorus, Calymmodon, Prosapta, Scleroglossum</i>)
PSILOTACEAE	<i>Psilotum</i>	PSILOTACEAE
PTERIDACEAE subfam. Cheilanthsidoideae	<i>Cheiantea, Doryopteris, Hemionitis, Notholaena.</i>	PARKERIAEAE
PTERIDACEAE subfam. Cryptogrammoideae	<i>Parahemionitis, Pellaea</i>	PARKERIAEAE
PTERIDACEAE subfam. Parkerioideae	<i>Contogramme</i>	PARKERIAEAE
PTERIDACEAE subfam. Pteridoideae	<i>Acrostichum, Ceratopteris</i>	PTERIDACEAE (<i>Acrostichum</i>), PARKERIAEAE (<i>Ceratopteris</i>)
PTERIDACEAE subfam. Vitarioideae	<i>Onychium, Ptyrogramma, Pieris, Syngramma, Taenitis</i>	PARKERIAEAE (<i>Onychium, Ptyrogramma, Syngamma,</i> <i>Taenitis</i>), PTERIDACEAE (<i>Pteris</i>)
SALVINIACEAE	<i>Adiantum, Autophyllum, Haplopteris, Virginularia</i>	PARKERIAEAE (<i>Adiantum</i>), VITARIACEAE (<i>Autophyllum, Virginularia, Vittaria</i>)
SCHIZAEACEAE	<i>Azolla, Salvinia</i>	SALVINIACEAE (<i>Salvinia</i>), AZOLLACEAE (<i>Azolla</i>)
TECTARIACEAE	<i>Schizaea</i>	SCHIZAEACEAE
THELYPTERIDACEAE	<i>Arthropteris, Heterogonium, Pleocnemia, Pieridrys, Tectaria</i>	DRYOPTERIDACEAE (<i>Heterogonium, Pleocnemia,</i> <i>Pieridrys, Tectaria</i>), OLEANDRACEAE (<i>Arthropteris</i>)
WOODSIACEAE	<i>Cyclosorus, Macrothelypteris, Pseudophegopteris, Thelypteris</i>	THELYPTERIDACEAE
	<i>Athyrium, Cornopteris, Deparia, Diploazium</i>	ATHYRIACEAE

Table 2. Comparison of the current names for Thai fern species with the names used for the same taxa in Pteridophytes in Thailand (Boonkerd & Pollawat, 2000) and Flora of Thailand (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989). Two names for a single entry in the third column linked by a ‘*r*’ indicate that a change was made to the name in the “Additions and Corrections” section in part 4 of volume 3 of the Flora of Thailand account. Two or more names for a single entry linked by a ‘+’ indicate that these taxa are now treated as synonyms. Black dots indicate species whose names have changed since the publication of the Flora of Thailand or were changed in the “Additions and Corrections” section. Circles indicate species that have been discovered or described since the publication of the Flora of Thailand. The reference beside a name refers to the place(s) of publication of the new taxon or record, or the source of information about the change of a name: **1** Boonkerd (2006); **2** Boonkerd (in press); **3** Boonkerd & Nooteboom (2001); **4** Boonkerd & Pollawat (2000); **5** Boonkerd & Pollawat (2002a); **6** Boonkerd & Pollawat (2002b); **7** Boonkerd & Pollawat (2004); **8** Boonkerd & Pollawat (2006); **9** Boonkerd & Suksathan (2009); **10** Boonkerd et al. (2004); **11** Fraser-Jenkins (1997); **12** Holtum (1982); **13** Holtum (1991); **14** Holtum & Grimes (1980); **15** Hovenkamp (1986); **16** Hovenkamp et al. (1998); **17** Hovenkamp & Miyamoto (2005); **18** Iwatsuki et al. (1998); **19** Kato & Tsutsumi (2008); **20** Khullar (1994); **21** Lindsay & Middleton (2004); **22** Lindsay & Middleton (2009c); **23** Lindsay et al. (2004); **24** Lindsay et al. (2008); **25** Lu (1999); **26** Mitsuta (1985); **27** Murdock (2008); **28** Nakaike (1992); **29** Nootboom (1997); **30** Nootboom (1998); **31** Parris (1998a); **32** Parris (1998b); **33** Parris (2007); **34** Parris & Latiff (1997); **35** Patchari, Boonkerd & Baum (2009); **36** Rödl-Linder (1990); **37** Suksathan (2004); **38** Thompson (2008); **39** Zhang (1999a); **40** Zhang (1999b); **41** B. Paris, pers. comm.; **42** J. Thompson, pers. comm.; **43** *Adiantum philippense* var. *subjunonicum* is reported for Thailand by Boonkerd & Pollawat (2006) but the combination has not been validly published and the status of the varieties of this species need further research; **44** Provisional new records, currently under investigation; **45** *Hymenophyllum excisum* (C.Presl) S.Linds., comb. nov. Basionym: *Asplenium excisum* C.Presl, Epimel. Bot. 74 (1851 [‘1849’]). Although the name *Hymenophyllum excisum* has been used in recent literature we can find no evidence that the combination has previously been validly published; **46** taxonomic change by current authors; **47** Ebihara et al. (2006).

CURRENT NAME (Boonkerd & Pollawat, 2000)	NAME IN PTERIDOPHYTES IN THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
ASPLENIACEAE		
<i>Asplenium affine</i> Sw.	<i>Asplenium affine</i> Sw.	<i>Asplenium affine</i> Sw.
<i>Asplenium antrophyoides</i> Christ	<i>Asplenium antrophyoides</i> Christ	<i>Asplenium antrophyoides</i> Christ
<i>Asplenium batuense</i> Alderw.	<i>Asplenium batuense</i> Alderw.	<i>Asplenium batuense</i> Alderw.
<i>Asplenium confusum</i> Tardieu & Ching	<i>Asplenium confusum</i> Tardieu & Ching	<i>Asplenium confusum</i> Tardieu & Ching
<i>Asplenium crinicaule</i> Hance	<i>Asplenium crinicaule</i> Hance	<i>Asplenium crinicaule</i> Hance
○ <i>Asplenium decressens</i> Kunze ⁴⁴	Absent	Absent
○ <i>Asplenium delavayi</i> (Franch.) Copel.	<i>Asplenium delavayi</i> (Franch.) Copel.	<i>Asplenium delavayi</i> (Franch.) Copel.
○ <i>Asplenium ensiforme</i> Wall. ex Hook. & Grev.	<i>Asplenium ensiforme</i> Wall. ex Hook. & Grev.	<i>Asplenium ensiforme</i> Wall. ex Hook. & Grev.
○ <i>Asplenium exiguum</i> Bedd.	<i>Asplenium exiguum</i> Bedd.	<i>Asplenium exiguum</i> Bedd.
○ <i>Asplenium finlaysonianum</i> Wall. ex Hook. ¹⁰	Absent	Absent
○ <i>Asplenium grevillei</i> Wall. ex Hook. & Grev.	<i>Asplenium grevillei</i> Wall. ex Hook. & Grev.	<i>Asplenium grevillei</i> Wall. ex Hook. & Grev.

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawatn, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
○ <i>Asplenium griffithianum</i> Hook. ⁴⁴	Absent	Absent
○ <i>Asplenium gueinzianum</i> Mett. ex Kuhn. ⁹	Absent	Absent
<i>Asplenium humbertii</i> Tardieu		<i>Asplenium humbertii</i> Tardieu
○ <i>Asplenium inaequilaterale</i> Willd. ²	Absent	Absent
<i>Asplenium interjectum</i> Christ		<i>Asplenium interjectum</i> Christ
○ <i>Asplenium khasianum</i> Shedge. ⁴⁴	Absent	Absent
● <i>Asplenium laciniatum</i> D.Don. ²⁰	<i>Asplenium varians</i> Wall. ex Hook. & Grev.	<i>Asplenium varians</i> Wall. ex Hook. & Grev.
	<i>Asplenium longissimum</i> Blume	<i>Asplenium longissimum</i> Blume
	<i>Asplenium macrophyllum</i> Sw.	<i>Asplenium macrophyllum</i> Sw.
	<i>Asplenium nidus</i> L. var. <i>nidus</i>	<i>Asplenium nidus</i> L. var. <i>nidus</i>
	<i>Asplenium nidus</i> L. var. <i>musifolium</i> (Mett.) C.Chr.	<i>Asplenium nidus</i> L. var. <i>musifolium</i> (Mett.) C.Chr.
	<i>Asplenium nitidum</i> Sw.	<i>Asplenium nitidum</i> Sw.
	<i>Asplenium normale</i> D.Don	<i>Asplenium normale</i> D.Don
	<i>Asplenium paradoxum</i> Blume	<i>Asplenium paradoxum</i> Blume
	<i>Asplenium pellucidum</i> Lam.	<i>Asplenium pellucidum</i> Lam.
	<i>Asplenium perakense</i> C.G.Matthew & Christ	<i>Asplenium perakense</i> C.G.Matthew & Christ
	<i>Asplenium phyllitidis</i> D.Don. subsp. <i>phyllitidis</i>	<i>Asplenium phyllitidis</i> D.Don. subsp. <i>phyllitidis</i>
	<i>Asplenium phyllitidis</i> D.Don. subsp. <i>malescum</i> Holtum	<i>Asplenium phyllitidis</i> D.Don. subsp. <i>malescum</i> Holtum
●	<i>Asplenium polyodon</i> G.Forst. ³⁴	<i>Asplenium falcatum</i> Lam.
	<i>Asplenium rockii</i> C.Chr.	<i>Asplenium rockii</i> C.Chr.
	<i>Asplenium salignum</i> Blume	<i>Asplenium salignum</i> Blume
	<i>Asplenium scorechini</i> Bedd.	<i>Asplenium scorechini</i> Bedd.
	<i>Asplenium siamense</i> Tagawa & K.Iwats.	<i>Asplenium siamense</i> Tagawa & K.Iwats.
	<i>Asplenium simonsianum</i> Hook.	<i>Asplenium simonsianum</i> Hook.
	<i>Asplenium tenerum</i> G.Forst.	<i>Asplenium tenerum</i> G.Forst.

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawatn, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
<i>Asplenium tenuifolium</i> D.Don	<i>Asplenium tenuifolium</i> D.Don	<i>Asplenium tenuifolium</i> D.Don
<i>Asplenium thunbergii</i> Kunze	<i>Asplenium thunbergii</i> Kunze	<i>Asplenium thunbergii</i> Kunze
● <i>Asplenium truncatum</i> Blume ⁴⁶	<i>Asplenium caudatum</i> auct. non G.Forst.	<i>Asplenium caudatum</i> auct. non G.Forst.
● <i>Asplenium vittaeforme</i> Cav. ³⁴	<i>Asplenium squamulatum</i> Blume	<i>Asplenium squamulatum</i> Blume
<i>Asplenium yoshinagae</i> Makino	<i>Asplenium yoshinagae</i> Makino	<i>Asplenium yoshinagae</i> Makino
● <i>Hymenophyllum apogamum</i> (N.Murak. & Hatan.) Nakaike	<i>Asplenium apogamum</i> N.Murak. & Hatan.	<i>Asplenium unilaterale</i> auct. non Lam. / <i>Asplenium apogamum</i> N.Murak. & Hatan.
● <i>Hymenophyllum cheilosorum</i> (Kunze ex Mett.) Tagawa	<i>Asplenium cheilosorum</i> Kunze ex Mett.	<i>Asplenium cheilosorum</i> Kunze ex Mett.
<i>Hymenophyllum excisum</i> (C.Presl) S.Linds. ⁴⁵	<i>Asplenium excisum</i> C.Presl	<i>Asplenium excisum</i> C.Presl
○ <i>Hymenophyllum inthanonense</i> N.Murak. & J.Yokoy. ¹⁸	<i>Hymenophyllum inthanonense</i> N.Murak. & J.Yokoy.	Absent
● <i>Hymenophyllum obscurum</i> (Blume) Tagawa	<i>Asplenium obscurum</i> Blume	<i>Asplenium obscurum</i> Blume
BLECHNACEAE		
	<i>Blechnum finlaysonianum</i> Wall. ex Hook. & Grev.	<i>Blechnum finlaysonianum</i> Wall. ex Hook. & Grev.
	<i>Blechnum indicum</i> Burm.f.	<i>Blechnum indicum</i> Burm.f.
	<i>Blechnum orientale</i> L.	<i>Blechnum orientale</i> L.
	<i>Brainea insignis</i> (Hook.) J.Sm.	<i>Brainea insignis</i> (Hook.) J.Sm.
	<i>Stenochlaena palustris</i> (Burm.f.) Bedd.	<i>Stenochlaena palustris</i> (Burm.f.) Bedd.
○	<i>Woodwardia harlandii</i> Hook. ^{4,7}	<i>Woodwardia harlandii</i> Hook.
●	<i>Woodwardia japonica</i> (L.f.) Sm.	<i>Woodwardia japonica</i> (L.f.) Sm.
CIBOTIACEAE		
	<i>Cibotium barometz</i> (L.) J.Sm.	<i>Cibotium barometz</i> (L.) J.Sm.

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawatn, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
CYATHEACEAE		
<i>Cyathea borneensis</i> Copel.	<i>Cyathea borneensis</i> Copel.	<i>Cyathea borneensis</i> Copel.
<i>Cyathea chinensis</i> Copel.	<i>Cyathea chinensis</i> Copel.	<i>Cyathea chinensis</i> Copel.
<i>Cyathea contaminans</i> (Wall. ex Hook.) Copel.	<i>Cyathea contaminans</i> (Wall. ex Hook.) Copel.	<i>Cyathea contaminans</i> (Wall. ex Hook.) Copel.
<i>Cyathea gigantea</i> (Wall. ex Hook.) Holttum	<i>Cyathea gigantea</i> (Wall. ex Hook.) Holttum	<i>Cyathea gigantea</i> (Wall. ex Hook.) Holttum
○ <i>Cyathea glabra</i> (Blume) Copel. ⁴⁴	Absent	Absent
○ <i>Cyathea hymenodes</i> Mett. ⁴⁴	Absent	Absent
<i>Cyathea latebrosa</i> (Wall. ex Hook.) Copel.	<i>Cyathea latebrosa</i> (Wall. ex Hook.) Copel.	<i>Cyathea latebrosa</i> (Wall. ex Hook.) Copel.
○ <i>Cyathea moluccana</i> R.Br. ¹⁰	Absent	Absent
<i>Cyathea podophylla</i> (Hook.) Copel.	<i>Cyathea podophylla</i> (Hook.) Copel.	<i>Cyathea podophylla</i> (Hook.) Copel.
<i>Cyathea spinulosa</i> Wall. ex Hook.	<i>Cyathea spinulosa</i> Wall. ex Hook.	<i>Cyathea spinulosa</i> Wall. ex Hook.
DAVALLIACEAE		
● <i>Araiostegia faberiana</i> (C.Chr.) M.Kato & Tsutsumi	<i>Araiostegia faberiana</i> (C.Chr.) Ching	<i>Araiostegia faberiana</i> (C.Chr.) Ching
<i>Davallia petelotii</i> Tardieu & C.Chr.	<i>Davallia petelotii</i> Tardieu & C.Chr.	<i>Davallia petelotii</i> Tardieu & C.Chr.
<i>Davallia solida</i> (G.Forst.) Sw.	<i>Davallia solida</i> (G.Forst.) Sw.	<i>Davallia solida</i> (G.Forst.) Sw.
<i>Davallia trichomanoides</i> Blume var. <i>trichomanoides</i>	<i>Davallia trichomanoides</i> Blume var. <i>trichomanoides</i>	<i>Davallia trichomanoides</i> Blume var. <i>trichomanoides</i>
<i>Davallia trichomanoides</i> Blume var. <i>lorrainii</i> (Hance) Holttum	<i>Davallia trichomanoides</i> Blume var. <i>lorrainii</i> (Hance) Holttum	<i>Davallia trichomanoides</i> Blume var. <i>lorrainii</i> (Hance) Holttum
○ <i>Davalloides bornense</i> (Hook.) Copel. ³⁰	Absent	Absent
○ <i>Davalloides hymenophylloides</i> (Blume) M.Kato & Tsutsumi ^{30,19}	Absent	Absent
● <i>Davalloides imbricatum</i> (Ching) M.Kato & Tsutsumi	<i>Araiostegia imbricata</i> Ching	<i>Araiostegia imbricata</i> Ching
<i>Davalloides membranulosum</i> (Hook.) Copel.	<i>Davalloides membranulosum</i> (Hook.) Copel.	<i>Davalloides membranulosum</i> (Hook.) Copel.

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawan, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
● <i>Davallodes pseudocystopteris</i> (Kunze) M.Kato & Tsutsumi	<i>Araiostegia pseudocystopteris</i> (Kunze) Copel.	<i>Araiostegia pulchra</i> (D.Don) Copel.
● <i>Davallodes pulchra</i> (D.Don) M.Kato & Tsutsumi	<i>Davallodes viscidulum</i> (Kuhn) Alderw.	<i>Davallodes viscidulum</i> (Kuhn) Alderw.
<i>Davallodes viscidulum</i> (Kuhn) Alderw.		
<i>Humata angustata</i> (Wall.) ex Hook. & Grev. J.Sm.	<i>Humata angustata</i> (Wall.) ex Hook. & Grev. J.Sm.	<i>Humata angustata</i> (Wall.) ex Hook. & Grev. J.Sm.
		/ <i>Pachypleuria angustata</i> (Wall.) ex Hook. & Grev. C.Presl
● <i>Humata corniculata</i> (T.Moore) M.Kato & Tsutsumi	<i>Davallia corniculata</i> T.Moore	<i>Davallia corniculata</i> T.Moore
<i>Humata heterophylla</i> (Sm.) Desv.	<i>Humata heterophylla</i> (Sm.) Desv.	<i>Humata heterophylla</i> (Sm.) Desv. /
<i>Humata pectinata</i> (Sm.) Desv.	<i>Humata pectinata</i> (Sm.) Desv.	<i>Davallia heterophylla</i> Sm.
<i>Humata repens</i> (L.f.) Diels	<i>Humata repens</i> (L.f.) J.Sm ex Diels	<i>Humata pectinata</i> (Sm.) Desv. /
<i>Humata vestita</i> (Blume) T.Moore	<i>Humata vestita</i> (Blume) T.Moore	<i>Pachypleuria pectinata</i> (Sm.) C.Presl
<i>Wibelia denticulata</i> (Burm.f.) M.Kato & Tsutsumi	<i>Davallia denticulata</i> (Burm.f.) Mett. ex Kuhn	<i>Humata repens</i> (L.f.) J.Sm ex Diels /
<i>Wibelia divaricata</i> (Blume) M.Kato & Tsutsumi	<i>Davallia divaricata</i> Blume	<i>Pachypleuria repens</i> (L.f.) M.Kato
○ <i>Wibelia embolostegia</i> (Copel.) M.Kato & Tsutsumi ^[10,19]	Absent	<i>Humata vestita</i> (Blume) T.Moore /
		<i>Pachypleuria vestita</i> (Blume) C.Presl
		<i>Davallia denticulata</i> (Burm.f.) Mett. ex Kuhn
		<i>Davallia divaricata</i> Blume
		Absent
DENNSTAEDTIACEAE		
<i>Dennstaedtia scabra</i> (Wall.) ex Hook.) T.Moore	<i>Dennstaedtia scabra</i> (Wall.) ex Hook.) T.Moore	<i>Dennstaedtia scabra</i> (Wall.) ex Hook.) T.Moore
<i>Histiopteris incisa</i> (Thunb.) J.Sm.	<i>Histiopteris incisa</i> (Thunb.) J.Sm.	<i>Histiopteris incisa</i> (Thunb.) J.Sm.
<i>Hypolepis punctata</i> (Thunb.) Mett. ex Kuhn	<i>Hypolepis punctata</i> (Thunb.) Mett. ex Kuhn	<i>Hypolepis punctata</i> (Thunb.) Mett. ex Kuhn
<i>Microlepia cahyescens</i> (Wall.) ex Hook.) C.Presl	<i>Microlepia cahyescens</i> (Wall.) ex Hook.) C.Presl	<i>Microlepia cahyescens</i> (Wall.) ex Hook.) C.Presl
<i>Microlepia firma</i> Mett. ex Kuhn	<i>Microlepia firma</i> Mett. ex Kuhn	<i>Microlepia firma</i> Mett. ex Kuhn
<i>Microlepia herbacea</i> Ching & C.Chr. ex Tardieu & C.Chr.	<i>Microlepia herbacea</i> Ching & C.Chr. ex Tardieu & C.Chr.	<i>Microlepia herbacea</i> Ching & C.Chr. ex Tardieu & C.Chr.

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawat, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
<i>Microlepia hookeriana</i> (Wall. ex Hook.) C.Presl	<i>Microlepia hookeriana</i> (Wall. ex Hook.) C.Presl	<i>Microlepia hookeriana</i> (Wall. ex Hook.) C.Presl
<i>Microlepia kurzii</i> (C.B.Clarke) Bedd.	<i>Microlepia kurzii</i> (C.B.Clarke) Bedd.	<i>Microlepia kurzii</i> (C.B.Clarke) Bedd.
<i>Microlepia platyphylla</i> (D.Don) J.Sm.	<i>Microlepia platyphylla</i> (D.Don) J.Sm.	<i>Microlepia platyphylla</i> (D.Don) J.Sm.
<i>Microlepia puberula</i> Alderw.	<i>Microlepia puberula</i> Alderw.	<i>Microlepia puberula</i> Alderw.
<i>Microlepia ridleyi</i> Copel.	<i>Microlepia ridleyi</i> Copel.	<i>Microlepia ridleyi</i> Copel.
<i>Microlepia speluncae</i> (L.) T.Moore	<i>Microlepia speluncae</i> (L.) T.Moore	<i>Microlepia speluncae</i> (L.) T.Moore
<i>Microlepia strigosa</i> (Thunb.) C.Presl	<i>Microlepia strigosa</i> (Thunb.) C.Presl	<i>Microlepia strigosa</i> (Thunb.) C.Presl
<i>Microlepia taiwaniana</i> Tagawa	<i>Microlepia taiwaniana</i> Tagawa	<i>Microlepia taiwaniana</i> Tagawa
<i>Microlepia trapeziformis</i> (Roxb.) Kuhn	<i>Microlepia trapeziformis</i> (Roxb.) Kuhn	<i>Microlepia trapeziformis</i> (Roxb.) Kuhn
○ <i>Monachosorum henryi</i> Christ ²⁶	Absent	Absent
○ <i>Pteridium aquilinum</i> (L.) Kuhn subsp. <i>japonicum</i> (Nakai) Å.Löve & D.Löve ^{46,38,42}	<i>Pteridium aquilinum</i> (L.) Kuhn var. <i>latiscutatum</i> (Desv.) Underw. ex A.Heller	Absent
● <i>Pteridium aquilinum</i> (L.) Kuhn subsp. <i>wightianum</i> (J.Agardh) W.C.Shih ^{38,42}	<i>Pteridium aquilinum</i> (L.) Kuhn var. <i>wightianum</i> (J.Agardh) R.M.Tryon	<i>Pteridium aquilinum</i> (L.) Kuhn subsp. <i>aquilinum</i> var. <i>wightianum</i> (J.Agardh) R.M.Tryon
● <i>Pteridium semihastatum</i> (Wall. ex J.A.Gardh) S.B.Andrews ⁴²	<i>Pteridium aquilinum</i> (L.) Kuhn var. <i>yarrabense</i> Domin	<i>Pteridium aquilinum</i> (L.) Kuhn subsp. <i>caudatum</i> var. <i>yarrabense</i> Domin
DYPTERIDACEAE		
	<i>Cheiropleuria bicuspis</i> (Blume) C.Presl	<i>Cheiropleuria bicuspis</i> (Blume) C.Presl
	<i>Dipteris conjugata</i> Reinw.	<i>Dipteris conjugata</i> Reinw.
DRYOPTERIDACEAE		
	<i>Acrophorus stipellatus</i> T.Moore, nom. nud.	<i>Acrophorus stipellatus</i> T.Moore, nom. nud.
●	<i>Arachniodes assamica</i> (Kuhn) Ohwi	<i>Arachniodes assamica</i> (Kuhn) Ohwi

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawatn, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
<i>Arachniodes cavalerii</i> (Christ) Ohwi	<i>Arachniodes cavalerii</i> (Christ) Ohwi	<i>Arachniodes cavalerii</i> (Christ) Ohwi
<i>Arachniodes chinensis</i> (Rosenst.) Ching	<i>Arachniodes chinensis</i> (Rosenst.) Ching	<i>Arachniodes chinensis</i> (Rosenst.) Ching
○ <i>Arachniodes conifolia</i> (T.Moore) Ching ^{8,10}	Absent	Absent
<i>Arachniodes henryi</i> (Christ) Ching	<i>Arachniodes henryi</i> (Christ) Ching	<i>Arachniodes henryi</i> (Christ) Ching
<i>Arachniodes speciosa</i> (D.Don) Ching	<i>Arachniodes speciosa</i> (D.Don) Ching	<i>Arachniodes speciosa</i> (D.Don) Ching
<i>Arachniodes spectabilis</i> (Ching) Ching	<i>Arachniodes spectabilis</i> (Ching) Ching	<i>Arachniodes spectabilis</i> (Ching) Ching
○ <i>Arachniodes subreflexima</i> (Ogata) Ching ⁴	<i>Arachniodes subreflexima</i> (Ogata) Ching	Absent
<i>Bolbitis angustipinna</i> (Hayata) H.Ito	<i>Bolbitis angustipinna</i> (Hayata) H.Ito	<i>Bolbitis angustipinna</i> (Hayata) H.Ito
<i>Bolbitis appendiculata</i> (Willd.) K.Iwats. subsp. <i>appendiculata</i>	<i>Bolbitis appendiculata</i> (Willd.) K.Iwats. subsp. <i>appendiculata</i>	<i>Bolbitis appendiculata</i> (Willd.) K.Iwats. subsp. <i>appendiculata</i>
<i>Bolbitis copelandii</i> Ching ex C.Chr. & Tardieu	<i>Bolbitis copelandii</i> Ching ex C.Chr. & Tardieu	<i>Bolbitis copelandii</i> Ching ex C.Chr. & Tardieu
<i>Bolbitis costata</i> (C.Presl) Ching ex C.Chr.	<i>Bolbitis costata</i> (C.Presl) Ching ex C.Chr.	<i>Bolbitis costata</i> (C.Presl) Ching ex C.Chr.
<i>Bolbitis deltigera</i> (Bedd.) C.Chr.	<i>Bolbitis deltigera</i> (Bedd.) C.Chr.	<i>Bolbitis deltigera</i> (Bedd.) C.Chr.
<i>Bolbitis heteroclita</i> (C.Presl) Ching ex C.Chr.	<i>Bolbitis heteroclita</i> (C.Presl) Ching ex C.Chr.	<i>Bolbitis heteroclita</i> (C.Presl) Ching ex C.Chr.
<i>Bolbitis hookeriana</i> K.Iwats.	<i>Bolbitis hookeriana</i> K.Iwats. + <i>Bolbitis appendiculata</i> (Willd.) K.Iwats. subsp. <i>viripara</i> (Buch.-Ham. ex Hook.) Hemipman	<i>Bolbitis hookeriana</i> K.Iwats.
<i>Bolbitis scalpurata</i> (Fée) Ching	<i>Bolbitis scalpurata</i> (Fée) Ching	<i>Bolbitis scalpurata</i> (Fée) Ching
<i>Bolbitis sinensis</i> (Baker) K.Iwats. var. <i>sinensis</i>	<i>Bolbitis sinensis</i> (Baker) K.Iwats. var. <i>sinensis</i>	<i>Bolbitis sinensis</i> (Baker) K.Iwats. var. <i>sinensis</i>
<i>Bolbitis sinensis</i> (Baker) K.Iwats. var. <i>costulata</i> (Hook.) Tagawa & K.Iwats.	<i>Bolbitis sinensis</i> (Baker) K.Iwats. var. <i>costulata</i> (Hook.) Tagawa & K.Iwats.	<i>Bolbitis sinensis</i> (Baker) K.Iwats. var. <i>costulata</i> (Hook.) Tagawa & K.Iwats.
<i>Bolbitis simata</i> (C.Presl) Hemipman	<i>Bolbitis simata</i> (C.Presl) Hemipman	<i>Bolbitis simata</i> (C.Presl) Hemipman
<i>Bolbitis tonkinensis</i> (C.Chr. ex Ching) K.Iwats.	<i>Bolbitis tonkinensis</i> (C.Chr. ex Ching) K.Iwats.	<i>Bolbitis tonkinensis</i> (C.Chr. ex Ching) K.Iwats.
<i>Bolbitis virens</i> (Wall. ex Hook. & Grev.) Schott var. <i>virens</i>	<i>Bolbitis virens</i> (Wall. ex Hook. & Grev.) Schott var. <i>virens</i>	<i>Bolbitis virens</i> (Wall. ex Hook. & Grev.) Schott var. <i>virens</i>
<i>Bolbitis virens</i> (Wall. ex Hook. & Grev.) Schott var. <i>compacta</i> Hemipman	<i>Bolbitis virens</i> (Wall. ex Hook. & Grev.) Schott var. <i>compacta</i> Hemipman	<i>Bolbitis virens</i> (Wall. ex Hook. & Grev.) Schott var. <i>compacta</i> Hemipman

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawatn, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
<i>Ctenitis dumrongii</i> Tagawa & K.Iwats.	<i>Ctenitis dumrongii</i> Tagawa & K.Iwats.	<i>Ctenitis dumrongii</i> Tagawa & K.Iwats.
● <i>Ctenitis subobscura</i> (Christ) Holtum	<i>Ctenitis subobscura</i> (Christ) Holtum	<i>Ctenitis manii</i> auct. non (C.Hope) Ching / <i>Ctenitis subobscura</i> (Christ) Holtum
<i>Ctenitis vilis</i> (Kunze) Ching	<i>Ctenitis vilis</i> (Kunze) Ching	<i>Ctenitis vilis</i> (Kunze) Ching
<i>Cyrtomium fortunei</i> J.Sm.	<i>Cyrtomium fortunei</i> J.Sm.	<i>Cyrtomium fortunei</i> J.Sm.
<i>Didymochlaena truncatula</i> (Sw.) J.Sm.	<i>Didymochlaena truncatula</i> (Sw.) J.Sm.	<i>Didymochlaena truncatula</i> (Sw.) J.Sm.
<i>Dryopteris cochleata</i> (D.Don) C.Chr.	<i>Dryopteris cochleata</i> (D.Don) C.Chr.	<i>Dryopteris cochleata</i> (D.Don) C.Chr.
○ <i>Dryopteris diffracta</i> (Baker) C.Chr. ¹⁰	Absent	Absent
<i>Dryopteris gymnophylla</i> (Baker) C.Chr.	<i>Dryopteris gymnophylla</i> (Baker) C.Chr.	<i>Dryopteris gymnophylla</i> (Baker) C.Chr.
● <i>Dryopteris hasseltii</i> (Blume) C.Chr.	<i>Arachniodes hasseltii</i> (Blume) Ching	<i>Arachniodes hasseltii</i> (Blume) Ching
<i>Dryopteris hendersonii</i> (Bedd.) C.Chr.	<i>Dryopteris hendersonii</i> (Bedd.) C.Chr.	<i>Dryopteris hendersonii</i> (Bedd.) C.Chr.
<i>Dryopteris hirtipes</i> (Blume) Kunze	<i>Dryopteris hirtipes</i> (Blume) Kunze	<i>Dryopteris hirtipes</i> (Blume) Kunze
<i>Dryopteris integriloba</i> C.Chr.	<i>Dryopteris integriloba</i> C.Chr.	<i>Dryopteris integriloba</i> C.Chr.
<i>Dryopteris neosassamensis</i> Ching	<i>Dryopteris neosassamensis</i> Ching	<i>Dryopteris neosassamensis</i> Ching
<i>Dryopteris neochrysocoma</i> Ching	<i>Dryopteris neochrysocoma</i> Ching	<i>Dryopteris neochrysocoma</i> Ching
<i>Dryopteris polita</i> Rosenst.	<i>Dryopteris polita</i> Rosenst.	<i>Dryopteris polita</i> Rosenst.
<i>Dryopteris porosa</i> Ching	<i>Dryopteris porosa</i> Ching	<i>Dryopteris porosa</i> Ching
<i>Dryopteris pseudosparsa</i> Ching	<i>Dryopteris pseudosparsa</i> Ching	<i>Dryopteris pseudosparsa</i> Ching
<i>Dryopteris rheophila</i> Mitsuta ex Darnaedi, M.Kato & K.Iwats.	<i>Dryopteris rheophila</i> Mitsuta ex Darnaedi, M.Kato & K.Iwats.	<i>Dryopteris rheophila</i> Mitsuta ex Darnaedi, M.Kato & K.Iwats.
<i>Dryopteris scottii</i> (Bedd.) Ching	<i>Dryopteris scottii</i> (Bedd.) Ching	<i>Dryopteris scottii</i> (Bedd.) Ching
<i>Dryopteris sparsa</i> (D.Don) Kunze	<i>Dryopteris sparsa</i> (D.Don) Kunze	<i>Dryopteris sparsa</i> (D.Don) Kunze
<i>Dryopteris subtriangularis</i> (C.Hope) C.Chr.	<i>Dryopteris subtriangularis</i> (C.Hope) C.Chr.	<i>Dryopteris subtriangularis</i> (C.Hope) C.Chr.
<i>Elaphoglossum angulatum</i> (Blume) T.Moore	<i>Elaphoglossum angulatum</i> (Blume) T.Moore	<i>Elaphoglossum angulatum</i> (Blume) T.Moore
<i>Elaphoglossum dumrongii</i> Tagawa & K.Iwats.	<i>Elaphoglossum dumrongii</i> Tagawa & K.Iwats.	<i>Elaphoglossum dumrongii</i> Tagawa & K.Iwats.
<i>Elaphoglossum malayense</i> Holtum	<i>Elaphoglossum malayense</i> Holtum	<i>Elaphoglossum malayense</i> Holtum

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawat, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
<i>Elaphoglossum marginatum</i> (Fée) T.Moore	<i>Elaphoglossum marginatum</i> (Fée) T.Moore	<i>Elaphoglossum marginatum</i> (Fée) T.Moore
<i>Elaphoglossum melanostictum</i> (Blume) T.Moore	<i>Elaphoglossum melanostictum</i> (Blume) T.Moore	<i>Elaphoglossum melanostictum</i> (Blume) T.Moore
<i>Elaphoglossum stelligerum</i> (Wall. ex Baker) T.Moore ex Alston & Bonner	<i>Elaphoglossum stelligerum</i> (Wall. ex Baker) T.Moore ex Alston & Bonner	<i>Elaphoglossum stelligerum</i> (Wall. ex Baker) T.Moore ex Alston & Bonner
<i>Elaphoglossum subellipticum</i> Rosenst.	<i>Elaphoglossum subellipticum</i> Rosenst.	<i>Elaphoglossum subellipticum</i> Rosenst.
<i>Elaphoglossum yoshinagae</i> (Yatabe) Makino	<i>Elaphoglossum yoshinagae</i> (Yatabe) Makino	<i>Elaphoglossum yoshinagae</i> (Yatabe) Makino
<i>Hypodematum crenatum</i> (Forsk.) Kuhn	<i>Hypodematum crenatum</i> (Forsk.) Kuhn	<i>Hypodematum crenatum</i> (Forsk.) Kuhn
<i>Hypodematum glandulosopilosum</i> (Tagawa) Ohwi	<i>Hypodematum glandulosopilosum</i> (Tagawa) Ohwi	<i>Hypodematum glandulosopilosum</i> (Tagawa) Ohwi
<i>Leucostegia immersa</i> (Wall. ex Hook.) C.Presl	<i>Leucostegia immersa</i> (Wall. ex Hook.) C.Presl	<i>Leucostegia immersa</i> (Wall. ex Hook.) C.Presl
<i>Lomagramma grossoserrata</i> Holttum	<i>Lomagramma grossoserrata</i> Holttum	<i>Lomagramma grossoserrata</i> Holttum
● <i>Peranema aspidioides</i> (Blume) Mett.	<i>Diacalpe aspidioides</i> Blume	<i>Diacalpe aspidioides</i> Blume
<i>Polystichum attenuatum</i> Tagawa & K.Iwats.	<i>Polystichum attenuatum</i> Tagawa & K.Iwats.	<i>Polystichum attenuatum</i> Tagawa & K.Iwats.
<i>Polystichum baristratum</i> (Blume) T.Moore	<i>Polystichum baristratum</i> (Blume) T.Moore	<i>Polystichum baristratum</i> (Blume) T.Moore
<i>Polystichum eximium</i> (Kuhn) C.Chr.	<i>Polystichum eximium</i> (Kuhn) C.Chr.	<i>Polystichum eximium</i> (Kuhn) C.Chr.
<i>Polystichum lindsaeifolium</i> Scott. ex Ridl.	<i>Polystichum lindsaeifolium</i> Scott. ex Ridl.	<i>Polystichum lindsaeifolium</i> Scott. ex Ridl.
<i>Polystichum prolificans</i> Alderw.	<i>Polystichum prolificans</i> Alderw.	<i>Polystichum prolificans</i> Alderw.
○ <i>Polystichum pseudosimense</i> Ching ⁸	Absent	Absent
○ <i>Polystichum scariosum</i> (Roxb.) C.V.Morton ^{8,10}	Absent	Absent
<i>Polystichum semperfertile</i> (C.B.Clarke) Ching	<i>Polystichum semperfertile</i> (C.B.Clarke) Ching	<i>Polystichum semperfertile</i> (C.B.Clarke) Ching
<i>Polystichum tenerense</i> Rosenst.	<i>Polystichum tenerense</i> Rosenst.	<i>Polystichum tenerense</i> Rosenst.
<i>Teratophyllum aculeatum</i> (Blume) Mett. ex Kuhn	<i>Teratophyllum aculeatum</i> (Blume) Mett. ex Kuhn	<i>Teratophyllum aculeatum</i> (Blume) Mett. ex Kuhn
<i>Teratophyllum ludens</i> (Fée) Holttum	<i>Teratophyllum ludens</i> (Fée) Holttum	<i>Teratophyllum ludens</i> (Fée) Holttum
EQUISETACEAE	<i>Equisetum diffusum</i> D.Don ⁴	Absent
○ <i>Equisetum diffusum</i> D.Don ⁴	<i>Equisetum diffusum</i> D.Don	Absent

CURRENT NAME	NAME IN PTERIDOPHYTE IN THAILAND (Boonkerd & Pollawatn, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
● <i>Equisetum ramosissimum</i> Desf. subsp. <i>debile</i> (Roxb. ex Vaucler) Hauke	<i>Equisetum debile</i> Roxb. ex Vaucler	<i>Equisetum debile</i> Roxb. ex Vaucler
GLEICHENIACEAE		
	<i>Dicranopteris curranii</i> Copel.	<i>Dicranopteris curranii</i> Copel.
	<i>Dicranopteris linearis</i> (Burm.f.) Underw. var. <i>linearis</i>	<i>Dicranopteris linearis</i> (Burm.f.) Underw. var. <i>linearis</i>
○	<i>Dicranopteris linearis</i> (Burm.f) Underw. var. <i>montana</i> Holtum ⁴	<i>Dicranopteris linearis</i> (Burm.f) Underw. var. <i>montana</i> Holtum
	<i>Dicranopteris linearis</i> (Burm.f.) Underw. var. <i>subpectinata</i> (Christ) Holtum	<i>Dicranopteris linearis</i> (Burm.f.) Underw. var. <i>subpectinata</i> (Christ) Holtum
	<i>Dicranopteris linearis</i> (Burm.f.) Underw. var. <i>terraphylla</i> (Rosenst.) Nakai	<i>Dicranopteris linearis</i> (Burm.f.) Underw. var. <i>terraphylla</i> (Rosenst.) Nakai
	<i>Dicranopteris speciosa</i> (C.Presl) Holtum	<i>Dicranopteris speciosa</i> (C.Presl) Holtum
	<i>Dicranopteris splendidula</i> (Hand.-Mazz.) Tagawa	<i>Dicranopteris splendidula</i> (Hand.-Mazz.) Tagawa
●	<i>Diplopterygium blotianum</i> (C.Chr.) Nakai	<i>Gleichenia blotiana</i> C.Chr.
●	<i>Diplopterygium longissimum</i> (Blume) Nakai	<i>Gleichenia longissima</i> Blume
●	<i>Diplopterygium norrisii</i> (Mett.) Nakai	<i>Gleichenia norrisii</i> Mett.
	<i>Gleichenia microphylla</i> R.Br.	<i>Gleichenia microphylla</i> R.Br.
○	<i>Sticherus hirsutus</i> (Blume) Ching ¹⁰	Absent
●	<i>Sticherus truncatus</i> (Willd.) Nakai	<i>Gleichenia truncata</i> (Willd.) Spreng.
HYMENOPHYLLACEAE		
●	<i>Abrodictyum idoneum</i> (C.V.Morton) Ebihara & K.Iwats. ⁴⁷	<i>Cephalomanes gemmatum</i> (J.Sm. ex Baker) K.Iwats.
●	<i>Abrodictyum obscurum</i> (Blume) Ebihara & K.Iwats. var. <i>obscurum</i>	<i>Cephalomanes obscurum</i> (Blume) K.Iwats. var. <i>obscurum</i>
		<i>Macroglena gemmata</i> (J.Sm. ex Baker) / <i>Cephalomanes gemmatum</i> (J.Sm. ex Baker) K.Iwats.
		<i>Selenodesmium obscurum</i> (Blume) Copel.

CURRENT NAME (Boonkerd & Pollawatn, 2000)	NAME IN PTERIDOPHYTES IN THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
● <i>Abrodictyum obscurum</i> (Blume) Ebihara & K.Iwats. var. <i>siamense</i> (Christ) K.Iwats.	<i>Cephalomanes obscurum</i> (Blume) K.Iwats. var. <i>siamense</i> (Christ) K.Iwats.	<i>Selenodesmium obscurum</i> (Blume) Copel., pro parte / <i>Cephalomanes obscurum</i> (Blume) K.Iwats. var. <i>siamense</i> (Christ) K.Iwats.
● <i>Abrodictyum pluma</i> (Hook.) Ebihara & K.Iwats. ⁴⁷	<i>Cephalomanes meifolium</i> (Bory ex Willd.) K.Iwats.	<i>Macroglema meifolia</i> (Bory ex Willd.) Copel. / <i>Cephalomanes meifolium</i> (Bory ex Willd.) K.Iwats.
	<i>Callistopteris apijfolia</i> (C.Presl) Copel.	<i>Callistopteris apijfolia</i> (C.Presl) Copel. / <i>Cephalomanes apijfolium</i> (C.Presl) K.Iwats.
	<i>Cephalomanes javanicum</i> (Blume) C.Presl	<i>Cephalomanes javanicum</i> (Blume) C.Presl
●	<i>Crepidomanes bipunctatum</i> (Poir.) Copel.	<i>Crepidomanes bipunctatum</i> (Poir.) Copel. + <i>Crepidomanes bilabiatum</i> (Nees & Blume) Copel.
	<i>Crepidomanes brevipes</i> (C.Presl) Copel.	<i>Crepidomanes brevipes</i> (C.Presl) Copel.
	<i>Crepidomanes christii</i> (Copel.) Copel.	<i>Crepidomanes christii</i> (Copel.) Copel.
	<i>Crepidomanes humile</i> (G.Forst.) Bosch	<i>Rediella humilis</i> (G.Forst.) Pic.Serm. / <i>Crepidomanes humile</i> (G.Forst.) Bosch
	<i>Crepidomanes kurzii</i> (Bedd.) Tagawa & K.Iwats.	<i>Crepidomanes kurzii</i> (Bedd.) Tagawa & K.Iwats.
	<i>Crepidomanes latealatum</i> (Bosch) Copel.	<i>Crepidomanes latealatum</i> (Bosch) Copel.
	<i>Crepidomanes latemarginale</i> (D.C.Eaton) Copel.	<i>Crepidomanes latemarginale</i> (D.C.Eaton) Copel.
	<i>Crepidomanes megiostomum</i> (Copel.) Copel.	<i>Crepidomanes megiostomum</i> (Copel.) Copel.
●	<i>Crepidomanes minutum</i> (Blume) K.Iwats.	<i>Crepidomanes minutum</i> (Blume) K.Iwats.
	<i>Crepidomanes parvifolium</i> (Baker) K.Iwats.	<i>Crepidomanes parvifolium</i> (Baker) Tagawa & K.Iwats. / <i>Crepidomanes parvifolium</i> (Baker) K.Iwats.
●	<i>Dichmoglossum bimarginatum</i> (Bosch) Ebihara & K.Iwats.	<i>Microgonium bimarginatum</i> Bosch / <i>Trichomanes bimarginatum</i> (Bosch) Bosch

CURRENT NAME (Boonkerd & Pollawatn, 2000)	NAME IN PTERIDOPHYTES IN THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
<i>Didymoglossum exiguum</i> (Bedd.) Copel.	<i>Trichomanes exiguum</i> (Bedd.) Baker	<i>Didymoglossum exiguum</i> (Bedd.) Copel. / <i>Trichomanes exiguum</i> (Bedd.) Baker
• <i>Didymoglossum molteyi</i> (Bosch) Ebihara & K.Iwats.	<i>Trichomanes molteyi</i> (Bosch) Bosch	<i>Microgonium molteyi</i> Bosch / <i>Trichomanes molteyi</i> (Bosch) Bosch
• <i>Didymoglossum sublimbatum</i> (Müll.Berol.) Ebihara & K.Iwats.	<i>Trichomanes sublimbatum</i> Müll.Berol.	<i>Microgonium sublimbatum</i> (Müll.Berol.) Bosch / <i>Trichomanes sublimbatum</i> Müll.Berol.
• <i>Hymenophyllum acanthoides</i> (Bosch) Rosenst.	<i>Hymenophyllum acanthoides</i> (Bosch) Rosenst.	<i>Meringium acanthoides</i> (Bosch) Copel. / <i>Hymenophyllum acanthoides</i> (Bosch) Rosenst.
• <i>Hymenophyllum badium</i> Hook. & Grev.	<i>Hymenophyllum badium</i> Hook. & Grev.	<i>Mecodium badium</i> (Hook. & Grev.) Copel. / <i>Hymenophyllum badium</i> Hook. & Grev.
<i>Hymenophyllum barbatum</i> (Bosch) Baker	<i>Hymenophyllum barbatum</i> (Bosch) Baker	<i>Hymenophyllum barbatum</i> (Bosch) Baker
• <i>Hymenophyllum blandum</i> Racib.	<i>Hymenophyllum blandum</i> Racib.	<i>Meringium blandum</i> (Racib.) Copel. / <i>Hymenophyllum blandum</i> Racib.
• <i>Hymenophyllum bontocense</i> Copel.	<i>Hymenophyllum bontocense</i> Copel.	<i>Meringium bontocense</i> (Copel.) Copel. / <i>Hymenophyllum bontocense</i> Copel.
• <i>Hymenophyllum denticulatum</i> Sw.	<i>Hymenophyllum denticulatum</i> Sw.	<i>Meringium denticulatum</i> (Sw.) Copel. / <i>Hymenophyllum denticulatum</i> Sw.
• <i>Hymenophyllum digitatum</i> (Sw.) Fosberg	<i>Crepidomanes digitatum</i> (Sw.) K.Iwats.	<i>Microtrichomanes digitatum</i> (Sw.) Copel. / <i>Crepidomanes digitatum</i> (Sw.) K.Iwats.
• <i>Hymenophyllum exsertum</i> Wall. ex Hook.	<i>Hymenophyllum exsertum</i> Wall. ex Hook.	<i>Mecodium exsertum</i> (Wall. ex Hook.) Copel. / <i>Hymenophyllum exsertum</i> Wall. ex Hook.
• <i>Hymenophyllum holochilum</i> (Bosch) C.Chr.	<i>Hymenophyllum holochilum</i> (Bosch) C.Chr.	<i>Meringium holochilum</i> (Bosch) Copel. / <i>Hymenophyllum holochilum</i> (Bosch) C.Chr.
• <i>Hymenophyllum javanicum</i> Spreng.		<i>Mecodium javanicum</i> (Spreng.) Copel. / <i>Hymenophyllum javanicum</i> Spreng.
• <i>Hymenophyllum pallidum</i> (Blume) Ebihara & K.Iwats.	<i>Crepidomanes pallidum</i> (Blume) K.Iwats.	<i>Pleuromanes pallidum</i> (Blume) C.Presl. / <i>Crepidomanes pallidum</i> (Blume) K.Iwats.
• <i>Hymenophyllum polyanthos</i> (Sw.) Sw.	<i>Hymenophyllum polyanthos</i> (Sw.) Sw.	<i>Mecodium polyanthos</i> (Sw.) Copel. / <i>Hymenophyllum polyanthos</i> (Sw.) Sw.

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawat, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
● <i>Hymenophyllum productum</i> Kunze	<i>Hymenophyllum productum</i> Kunze	<i>Mecodium productum</i> (Kunze) Copel. / <i>Hymenophyllum productum</i> Kunze
● <i>Hymenophyllum riukiuense</i> Christ	<i>Hymenophyllum riukiuense</i> Christ	<i>Mecodium riukiuense</i> (Christ) Copel. / <i>Hymenophyllum riukiuense</i> Christ
● <i>Hymenophyllum serrulatum</i> (C.Presl) C.Chr.	<i>Hymenophyllum serrulatum</i> (C.Presl) C.Chr.	<i>Meringium meyenianum</i> C.Presl / <i>Hymenophyllum serrulatum</i> (C.Presl) C.Chr.
● <i>Vandenboschia auriculata</i> (Blume) Copel.	<i>Crepidomanes auriculatum</i> (Blume) K.Iwats.	<i>Trichomanes auriculatum</i> Blume / <i>Crepidomanes auriculatum</i> (Blume) K.Iwats.
● <i>Vandenboschia birmanica</i> (Bedd.) Ching	<i>Crepidomanes birmanicum</i> (Bedd.) K.Iwats.	<i>Trichomanes birmanicum</i> Bedd. / <i>Crepidomanes birmanicum</i> (Bedd.) K.Iwats.
● <i>Vandenboschia maxima</i> (Blume) Copel.	<i>Crepidomanes maximum</i> (Blume) K.Iwats.	<i>Trichomanes maximum</i> Blume / <i>Crepidomanes maximum</i> (Blume) K.Iwats.
LINDSAEACEAE		
	<i>Lindsaea bouillodii</i> Christ	<i>Lindsaea bouillodii</i> Christ
	<i>Lindsaea chienii</i> Ching	<i>Lindsaea chienii</i> Ching
	<i>Lindsaea cultrata</i> (Willd.) Sw.	<i>Lindsaea cultrata</i> (Willd.) Sw.
○ <i>Lindsaea dissectiformis</i> Ching ¹⁰	Absent	Absent
	<i>Lindsaea divergens</i> Hook. & Grev.	<i>Lindsaea divergens</i> Hook. & Grev.
	<i>Lindsaea doryphora</i> K.U.Kramer	<i>Lindsaea doryphora</i> K.U.Kramer
	<i>Lindsaea ensifolia</i> Sw.	<i>Lindsaea ensifolia</i> Sw.
	<i>Lindsaea heterophylla</i> Dryand.	<i>Lindsaea heterophylla</i> Dryand.
	<i>Lindsaea integra</i> Holttum	<i>Lindsaea integra</i> Holttum
	<i>Lindsaea javanensis</i> Blume	<i>Lindsaea javanensis</i> Blume
	<i>Lindsaea lucida</i> Blume	<i>Lindsaea lucida</i> Blume
	<i>Lindsaea malayensis</i> Holttum	<i>Lindsaea malayensis</i> Holttum
	<i>Lindsaea napaea</i> Alderw.	<i>Lindsaea napaea</i> Alderw.

CURRENT NAME (Boonkerd & Pollawatn, 2000)	NAME IN PTERIDOPHYTES IN THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
<i>Lindsaea ob lanceolata</i> Alderw.	<i>Lindsaea ob lanceolata</i> Alderw.
<i>Lindsaea odorata</i> Roxb.	<i>Lindsaea odorata</i> Roxb.
<i>Lindsaea orbiculata</i> (Lam.) Mett. ex Kuhn var. <i>orbiculata</i>	<i>Lindsaea orbiculata</i> (Lam.) Mett. ex Kuhn var. <i>orbiculata</i>
<i>Lindsaea orbiculata</i> (Lam.) Mett. ex Kuhn var. <i>commixta</i> (Tagawa) K.U.Kramer	<i>Lindsaea orbiculata</i> (Lam.) Mett. ex Kuhn var. <i>commixta</i> (Tagawa) K.U.Kramer
<i>Lindsaea parallelogramma</i> Alderw.	<i>Lindsaea parallelogramma</i> Alderw.
<i>Lindsaea parasitica</i> (Roxb. ex Griff.) Hieron.	<i>Lindsaea parasitica</i> (Roxb. ex Griff.) Hieron.
<i>Lindsaea repens</i> (Bory) Thwaites var. <i>pectinata</i> (Blume) Mett. ex Kuhn	<i>Lindsaea repens</i> (Bory) Thwaites var. <i>pectinata</i> (Blume) Mett. ex Kuhn
○ <i>Lindsaea tenera</i> Dryand. ⁴	Absent
<i>Sphenomeris chinensis</i> (L.) Maxon var. <i>chinensis</i>	<i>Sphenomeris chinensis</i> (L.) Maxon var. <i>chinensis</i>
<i>Sphenomeris chinensis</i> (L.) Maxon var. <i>divaricata</i> (Christ) K.U.Kramer	<i>Sphenomeris chinensis</i> (L.) Maxon var. <i>divaricata</i> (Christ) K.U.Kramer
<i>Tapeinidium luzonicum</i> (Hook.) K.U.Kramer	<i>Tapeinidium luzonicum</i> (Hook.) K.U.Kramer
<i>Tapeinidium pinnatum</i> (Cav.) C.Chr.	<i>Tapeinidium pinnatum</i> (Cav.) C.Chr.
LOMARIOPSISIDACEAE	
<i>Cycloleptis crenata</i> (Fee) C.Chr.	<i>Cycloleptis crenata</i> (Fee) C.Chr.
<i>Lomariopsis lineata</i> (C.Presl) Holtum	<i>Lomariopsis lineata</i> (C.Presl) Holtum
<i>Nephrolepis acutifolia</i> (Desv.) Christ	<i>Nephrolepis acutifolia</i> (Desv.) Christ
<i>Nephrolepis biserrata</i> (Sw.) Schott	<i>Nephrolepis biserrata</i> (Sw.) Schott
<i>Nephrolepis cordifolia</i> (L.) C.Presl	<i>Nephrolepis cordifolia</i> (L.) C.Presl
<i>Nephrolepis davallioides</i> (Sw.) Kunze	<i>Nephrolepis davallioides</i> (Sw.) Kunze
● <i>Nephrolepis falcatiformis</i> J.Sm. ^{1,6}	<i>Nephrolepis falcatiformis</i> J.Sm. ^{1,6}
<i>Nephrolepis hirsutula</i> (G.Forst.) C.Presl	<i>Nephrolepis hirsutula</i> (G.Forst.) C.Presl
<i>Nephrolepis radicans</i> (Burm.f.) Kuhn	<i>Nephrolepis radicans</i> (Burm.f.) Kuhn

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawatn, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
● <i>Nephrolepis undulata</i> (Afzel.) J.Sm. ¹⁶	<i>Nephrolepis delicatula</i> (Decne.) Pic.Serm.	<i>Nephrolepis delicatula</i> (Decne.) Pic.Serm.
LYGODIACEAE		
	<i>Lygodium circinatum</i> (Burm.f.) Sw.	<i>Lygodium circinatum</i> (Burm.f.) Sw.
	<i>Lygodium flexuosum</i> (L.) Sw.	<i>Lygodium flexuosum</i> (L.) Sw.
	<i>Lygodium giganteum</i> Tagawa & K.Iwats.	<i>Lygodium giganteum</i> Tagawa & K.Iwats.
	<i>Lygodium japonicum</i> (Thunb.) Sw.	<i>Lygodium japonicum</i> (Thunb.) Sw.
	<i>Lygodium microphyllum</i> (Cav.) R.Br.	<i>Lygodium microphyllum</i> (Cav.) R.Br.
	<i>Lygodium polystachyum</i> Wall. ex T.Moore	<i>Lygodium polystachyum</i> Wall. ex T.Moore
	<i>Lygodium salicifolium</i> C.Presl	<i>Lygodium salicifolium</i> C.Presl
MARATTIACEAE		
○ <i>Angiopteris angustifolia</i> C.Presl ¹⁰	Absent	Absent
	<i>Angiopteris evecta</i> (G.Forst.) Hoffm.	<i>Angiopteris evecta</i> (G.Forst.) Hoffm.
	<i>Christensenia aesculifolia</i> (Blume) Maxon	<i>Christensenia aesculifolia</i> (Blume) Maxon
● <i>Pisana sambucina</i> (Blume) Murdock ²⁷	<i>Marattia sambucina</i> Blume	<i>Marattia sambucina</i> Blume
MARSILEACEAE		
○ <i>Marsilea crenata</i> C.Presl	<i>Marsilea crenata</i> C.Presl	<i>Marsilea crenata</i> C.Presl
	<i>Marsilea scalaripes</i> D.M.Johnson ⁴⁴	Absent
MATONIACEAE		
○ <i>Matonia pectinata</i> R.Br. ²³	Absent	Absent
OLEANDRACEAE		
○ <i>Oleandra musifolia</i> (Blume) C.Presl	<i>Oleandra musifolia</i> (Blume) C.Presl	<i>Oleandra musifolia</i> (Blume) C.Presl

CURRENT NAME	NAME IN PTERIDOPHYTE IN THAILAND (Boonkerd & Pollawatn, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
<i>Oleandra pistillaris</i> (Sw.) C.Chr.	<i>Oleandra pistillaris</i> (Sw.) C.Chr.	<i>Oleandra pistillaris</i> (Sw.) C.Chr.
<i>Oleandra undulata</i> (Willd.) Ching	<i>Oleandra undulata</i> (Willd.) Ching	<i>Oleandra undulata</i> (Willd.) Ching
<i>Oleandra wallichii</i> (Hook.) C.Presl	<i>Oleandra wallichii</i> (Hook.) C.Presl	<i>Oleandra wallichii</i> (Hook.) C.Presl
OPHIOGLOSSACEAE		
<i>Botrychium lanuginosum</i> Wall. ex Hook. & Grev.	<i>Botrychium lanuginosum</i> Wall. ex Hook. & Grev. <i>Botrychium lanuginosum</i> Wall. ex Hook. & Grev. / <i>Japanobotrychium lanuginosum</i> (Wall. ex Hook. & Grev.) Nishida ex Tagawa	<i>Botrychium lanuginosum</i> Wall. ex Hook. & Grev. / <i>Japanobotrychium lanuginosum</i> (Wall. ex Hook. & Grev.) Nishida ex Tagawa
	<i>Helminthostachys zeylanica</i> (L.) Hook.	<i>Helminthostachys zeylanica</i> (L.) Hook.
	<i>Ophioglossum costatum</i> R.Br.	<i>Ophioglossum costatum</i> R.Br.
	<i>Ophioglossum gramineum</i> Willd.	<i>Ophioglossum gramineum</i> Willd.
	<i>Ophioglossum pendulum</i> L.	<i>Ophioglossum pendulum</i> L.
	<i>Ophioglossum petiolatum</i> Hook.	<i>Ophioglossum petiolatum</i> Hook.
OSMUNDACEAE		
	<i>Osmunda angustifolia</i> Ching	<i>Osmunda angustifolia</i> Ching
	<i>Osmunda cinnamomea</i> L.	<i>Osmunda cinnamomea</i> L.
○	<i>Osmunda javanica</i> (C.Presl) Blume ^{4,10}	Absent
	<i>Osmunda vachellii</i> Hook.	<i>Osmunda vachellii</i> Hook.
PLAGIogyriaceae		
	<i>Plagiogyria adnata</i> (Blume) Bedd.	<i>Plagiogyria adnata</i> (Blume) Bedd.
	<i>Plagiogyria communis</i> Ching	<i>Plagiogyria communis</i> Ching
POLYPODIACEAE		
●	<i>Acrosorus friderici-et-pauli</i> (Christ) Copel. ³¹	<i>Acrosorus triangularis</i> (Scort. ex Bedd.) Copel.
		<i>Acrosorus triangularis</i> (Scort. ex Bedd.) Copel.

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawatn, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
○ <i>Acrosorus streptophyllus</i> (Baker) Copel. ³¹	Absent	Absent
● <i>Aglaomorpha acuminata</i> (Willd.) Hovenkamp	<i>Photinopteris speciosa</i> (Blume) C.Presl	<i>Photinopteris acuminata</i> (Willd.) C.V.Morton
● <i>Aglaomorpha coronans</i> (Wall. ex Mett.) Copel.	<i>Aglaomorpha coronans</i> (Wall. ex Mett.) Copel.	<i>Aglaomorpha coronans</i> (Wall. ex Mett.) Copel.
○ <i>Aglaomorpha drymarioides</i> (Hook.) Roos ¹⁰	Absent	Absent
○ <i>Aglaomorpha heraclea</i> (Kunze) Copel.	<i>Aglaomorpha heraclea</i> (Kunze) Copel.	Absent
○ <i>Arthromeris amplexifolia</i> (Christ) Ching	<i>Arthromeris amplexifolia</i> (Christ) Ching	<i>Arthromeris amplexifolia</i> (Christ) Ching
○ <i>Arthromeris lehmanni</i> (Mett.) Ching	<i>Arthromeris lehmanni</i> (Mett.) Ching	<i>Arthromeris lehmanni</i> (Mett.) Ching
○ <i>Arthromeris phluhuangensis</i> Tagawa & K.Iwats.	<i>Arthromeris phluhuangensis</i> Tagawa & K.Iwats.	<i>Arthromeris phluhuangensis</i> Tagawa & K.Iwats.
○ <i>Arthromeris proteus</i> (Copel.) Tagawa ¹⁶	Absent	Absent
○ <i>Arthromeris taisienensis</i> (Franch. & Bureau ex Christ) Ching	<i>Arthromeris taisienensis</i> (Franch. & Bureau ex Christ) Ching	<i>Arthromeris taisienensis</i> (Franch. & Bureau ex Christ) Ching
○ <i>Belvisia annamensis</i> (C.Chr.) Tagawa	<i>Belvisia annamensis</i> (C.Chr.) Tagawa	<i>Belvisia annamensis</i> (C.Chr.) Tagawa
○ <i>Belvisia henryi</i> (Hieron. ex C.Chr.) Tagawa	<i>Belvisia henryi</i> (Hieron. ex C.Chr.) Tagawa	<i>Belvisia henryi</i> (Hieron. ex C.Chr.) Tagawa
○ <i>Belvisia mucronata</i> (Fee) Copel.	<i>Belvisia mucronata</i> (Fee) Copel.	<i>Belvisia mucronata</i> (Fee) Copel.
○ <i>Belvisia spicata</i> (L.f.) Mirbel ex Copel. ¹⁶	<i>Belvisia revoluta</i> (Blume) Copel.	<i>Belvisia revoluta</i> (Blume) Copel.
● <i>Calymmodon asiaticus</i> Copel.	<i>Calymmodon asiaticus</i> Copel.	<i>Calymmodon asiaticus</i> Copel.
● <i>Calymmodon curvatus</i> Partris ⁴¹	<i>Calymmodon cucullatus</i> auct. non (Nees & Blume) C.Presl	<i>Calymmodon cucullatus</i> auct. non (Nees & Blume) C.Presl
○ <i>Christiopteris tricuspis</i> (Hook.) Christ	<i>Christiopteris tricuspis</i> (Hook.) Christ	<i>Christiopteris tricuspis</i> (Hook.) Christ
○ <i>Chrysogrammitis musgraviana</i> (Baker) Partris ³²	Absent	Absent
● <i>Ctenopterella blechnoides</i> (Grev.) Partris ³³	<i>Ctenopteris moultonii</i> (Copel.) C.Chr. & Tardieu	<i>Ctenopteris moultonii</i> (Copel.) C.Chr. & Tardieu
● <i>Ctenopterella khaoluangensis</i> (Tagawa & K.Iwats.) Partris ³³	<i>Xiphopteris khaoluangensis</i> Tagawa & K.Iwats.	<i>Xiphopteris khaoluangensis</i> Tagawa & K.Iwats.
○ <i>Dasygrammitis brevivenosa</i> (Alderw.) Partris ^{41,44}	Absent	Absent
● <i>Dasygrammitis mollicoma</i> (Nees & Blume) Partris ³³	<i>Ctenopteris mollicoma</i> (Nees. & Blume) Kunze	<i>Ctenopteris mollicoma</i> (Nees. & Blume) Kunze
● <i>Drynaria bonii</i> Christ	<i>Drynaria bonii</i> Christ	<i>Drynaria bonii</i> Christ

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawat, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
● <i>Drynaria roosii</i> Nakai ²⁸	<i>Drynaria fortunei</i> (Kunze ex Mett.) J.Sm.	<i>Drynaria fortunei</i> (Kunze ex Mett.) J.Sm.
● <i>Drynaria parishii</i> (Bedd.) Bedd.	<i>Drynaria parishii</i> (Bedd.) Bedd.	<i>Drynaria parishii</i> (Bedd.) Bedd.
● <i>Drynaria propinqua</i> (Wall. ex Mett.) J.Sm. ex Bedd.	<i>Drynaria propinqua</i> (Wall. ex Mett.) J.Sm. ex Bedd.	<i>Drynaria propinqua</i> (Wall. ex Mett.) J.Sm. ex Bedd.
● <i>Drynaria quercifolia</i> (L.) J.Sm.	<i>Drynaria quercifolia</i> (L.) J.Sm.	<i>Drynaria quercifolia</i> (L.) J.Sm.
● <i>Drynaria rigidula</i> (Sw.) Bedd.	<i>Drynaria rigidula</i> (Sw.) Bedd.	<i>Drynaria rigidula</i> (Sw.) Bedd.
● <i>Drynaria sparsisora</i> (Desv.) T.Moore	<i>Drynaria sparsisora</i> (Desv.) T.Moore	<i>Drynaria sparsisora</i> (Desv.) T.Moore
● <i>Goniophlebium amoenum</i> (Wall. ex Mett.) Bedd.	<i>Goniophlebium amoenum</i> (Wall. ex Mett.) Bedd.	<i>Polypodium amoenum</i> Wall. ex Mett.
● <i>Goniophlebium lachnopus</i> J.Sm. ³⁶	<i>Polypodium garrettii</i> C.H.Wright	<i>Polypodium garrettii</i> C.H.Wright
● <i>Goniophlebium mannerense</i> (Christ) Rödl-Linder	<i>Polypodium mannerense</i> Christ	<i>Polypodium mannerense</i> Christ
● <i>Goniophlebium mengzeense</i> (Christ) Rödl-Linder ⁷	<i>Goniophlebium argutum</i> J.Sm. ex Hook. & Grev.	<i>Polypodium argutum</i> (J.Sm. ex Hook. & Grev.) Hook.
● <i>Goniophlebium microrhizoma</i> (C.B.Clarke ex Baker) Bedd.	<i>Goniophlebium microrhizoma</i> (C.B.Clarke ex Baker) Bedd.	<i>Polypodium microrhizoma</i> C.B.Clarke ex Baker
● <i>Goniophlebium percussum</i> (Cav.) Wagner & Grether ¹⁶	<i>Goniophlebium verrucosum</i> (Hook.) J.Sm.	<i>Polypodium verrucosum</i> (Hook.) Mett.
● <i>Goniophlebium persicifolium</i> (Desv.) Bedd.	<i>Goniophlebium persicifolium</i> (Desv.) Bedd.	<i>Polypodium persicifolium</i> Desv.
● <i>Goniophlebium subauriculatum</i> (Blume) C.Presl	<i>Goniophlebium subauriculatum</i> (Blume) C.Presl + <i>Goniophlebium molle</i> Bedd.	<i>Polypodium subauriculatum</i> Blume + <i>Polypodium beddomei</i> Baker
● <i>Gymnogrammitis dareiformis</i> (Hook.) Ching ex Tardieu & C.Chr.	<i>Gymnogrammitis dareiformis</i> (Hook.) Ching ex Tardieu & C.Chr.	<i>Araiostegia dareiformis</i> (Hook.) Copel. / <i>Gymnogrammitis dareiformis</i> (Hook.) Ching ex Tardieu & C.Chr.
● <i>Lecanopteris crustacea</i> Copel.	<i>Lecanopteris crustacea</i> Copel.	<i>Myrmecophila crustacea</i> (Copel.) Tagawa
○ <i>Lecanopteris punnila</i> Blume ²²	Absent	Absent
● <i>Lecanopteris sinuosa</i> (Wall. ex Hook.) Copel.	<i>Lecanopteris sinuosa</i> (Wall. ex Hook.) Copel.	<i>Myrmecophila sinuosa</i> (Wall. ex Hook.) Nakai ex H.Ito
<i>Lemmaphyllum accedens</i> (Blume) Donk	<i>Lemmaphyllum accedens</i> (Blume) Donk	<i>Lemmaphyllum accedens</i> (Blume) Donk

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawatn, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
<i>Lemmaphyllum carnosum</i> (Hook.) C.Presl	<i>Lemmaphyllum carnosum</i> (Hook.) C.Presl	<i>Lemmaphyllum carnosum</i> (Hook.) C.Presl
<i>Lepisorus bicolor</i> Ching	<i>Lepisorus bicolor</i> Ching	<i>Lepisorus bicolor</i> Ching
<i>Lepisorus contortus</i> (Christ) Ching	<i>Lepisorus contortus</i> (Christ) Ching	<i>Lepisorus contortus</i> (Christ) Ching
<i>Lepisorus heterolepis</i> (Rosenst.) Ching	<i>Lepisorus heterolepis</i> (Rosenst.) Ching	<i>Lepisorus heterolepis</i> (Rosenst.) Ching
<i>Lepisorus longifolius</i> (Blume) Holtum	<i>Lepisorus longifolius</i> (Blume) Holtum	<i>Lepisorus longifolius</i> (Blume) Holtum
<i>Lepisorus nudus</i> (Hook.) Ching	<i>Lepisorus nudus</i> (Hook.) Ching	<i>Lepisorus nudus</i> (Hook.) Ching
<i>Lepisorus oosphaerius</i> (C.Chr.) Ching	<i>Lepisorus oosphaerius</i> (C.Chr.) Ching	<i>Lepisorus oosphaerius</i> (C.Chr.) Ching
<i>Lepisorus scolopendrium</i> (Ching) Mehra & Bir	<i>Lepisorus scolopendrium</i> (Ching) Mehra & Bir	<i>Lepisorus scolopendrium</i> (Ching) Mehra & Bir
<i>Lepisorus sinensis</i> (Christ) Ching	<i>Lepisorus sinensis</i> (Christ) Ching	<i>Lepisorus sinensis</i> (Christ) Ching
<i>Lepisorus subconfluens</i> Ching	<i>Lepisorus subconfluens</i> Ching	<i>Lepisorus subconfluens</i> Ching
<i>Lepisorus sublinearis</i> (Baker ex Takeda) Ching	<i>Lepisorus sublinearis</i> (Baker ex Takeda) Ching	<i>Lepisorus sublinearis</i> (Baker ex Takeda) Ching
<i>Lepisorus suboligolepidus</i> Ching	<i>Lepisorus suboligolepidus</i> Ching	<i>Lepisorus suboligolepidus</i> Ching
<i>Lepiochilus axillaris</i> (Cav.) Kaulf.	<i>Lepiochilus axillaris</i> (Cav.) Kaulf.	<i>Lepiochilus axillaris</i> (Cav.) Kaulf.
<i>Lepiochilus decurrens</i> Blume	<i>Lepiochilus decurrens</i> Blume	<i>Lepiochilus decurrens</i> Blume
• <i>Lepiochilus ellipticus</i> (Thunb.) Noot. ²⁹	<i>Lepiochilus ellipticus</i> (Thunb.) Noot. ²⁹	<i>Colysis pentaphylla</i> (Baker) Ching + (D.Don) C.Presl
• <i>Lepiochilus hemionitidea</i> C.Presl	<i>Lepiochilus hemionitidea</i> C.Presl	<i>Colysis hemionitidea</i> C.Presl
• <i>Lepiochilus macrophylla</i> (Blume) C.Presl	<i>Lepiochilus macrophylla</i> (Blume) C.Presl	<i>Colysis macrophylla</i> (Blume) C.Presl
○ <i>Lepiochilus minor</i> Fee ⁵	Absent	Absent
● <i>Lepiochilus pedunculatus</i> (Hook. & Grev.) Fraser-Jenk.	<i>Lepiochilus pedunculatus</i> (Hook. & Grev.) Ching + <i>Colysis wui</i> (C.Chr.) Ching	<i>Colysis pedunculata</i> (Hook. & Grev.) Ching + <i>Colysis wui</i> (C.Chr.) Ching
○ <i>Loxogramme acroscopa</i> (Christ) C.Chr. ⁴	<i>Loxogramme acroscopa</i> (Christ) C.Chr.	Absent
○ <i>Loxogramme assimilis</i> Ching ⁴	<i>Loxogramme assimilis</i> Ching	Absent

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawatn, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
<i>Loxogramme avenia</i> (Blume) C.Presl	<i>Loxogramme avenia</i> (Blume) C.Presl	<i>Loxogramme avenia</i> (Blume) C.Presl
○ <i>Loxogramme centicola</i> M.G.Price ⁴⁸	<i>Loxogramme centicola</i> M.G.Price	Absent
<i>Loxogramme chinensis</i> Ching	<i>Loxogramme chinensis</i> Ching	<i>Loxogramme chinensis</i> Ching
○ <i>Loxogramme cuspidata</i> (Zenker) M.G.Price	<i>Loxogramme cuspidata</i> (Zenker) M.G.Price	Absent
<i>Loxogramme dioclouxi</i> Christ	<i>Loxogramme dioclouxi</i> Christ	<i>Loxogramme dioclouxi</i> Christ
<i>Loxogramme involuta</i> (D.Don) C.Presl	<i>Loxogramme involuta</i> (D.Don) C.Presl	<i>Loxogramme involuta</i> (D.Don) C.Presl
<i>Loxogramme lankokensis</i> (Rosenst.) C.Chr.	<i>Loxogramme lankokensis</i> (Rosenst.) C.Chr.	<i>Loxogramme lankokensis</i> (Rosenst.) C.Chr.
○ <i>Loxogramme porcata</i> M.G.Price	<i>Loxogramme porcata</i> M.G.Price	Absent
● <i>Loxogramme scolopendrioides</i> (Gaudich.) C.V.Morton ³⁴	<i>Loxogramme scolopendrioides</i> (Bory) C.Presl	<i>Loxogramme scolopendrioides</i> (Bory) C.Presl
<i>Loxogramme subcostata</i> (Hook.) C.Chr.	<i>Loxogramme subcostata</i> (Hook.) C.Chr.	<i>Loxogramme subcostata</i> (Hook.) C.Chr.
<i>Microsorum heterocarpum</i> (Blume) Ching	<i>Microsorum heterocarpum</i> (Blume) Ching	<i>Microsorum heterocarpum</i> (Blume) Ching
● <i>Microsorum insigne</i> (Blume) Copel. ²⁹	<i>Microsorum dilatatum</i> (Bedd.) Sledge	<i>Microsorum dilatatum</i> (Bedd.) Sledge
<i>Microsorum membranaceum</i> (D.Don) Ching	<i>Microsorum membranaceum</i> (D.Don) Ching	<i>Microsorum membranaceum</i> (D.Don) Ching
○ <i>Microsorum musifolium</i> Copel. ³⁵	Absent	Absent
<i>Microsorum pieropus</i> (Blume) Copel.	<i>Microsorum pieropus</i> (Blume) Copel.	<i>Microsorum pieropus</i> (Blume) Copel.
<i>Microsorum punctatum</i> (L.) Copel.	<i>Microsorum punctatum</i> (L.) Copel.	<i>Microsorum punctatum</i> (L.) Copel.
○ <i>Microsorum stamense</i> Boonkerd ¹	Absent	Absent
<i>Microsorum superficiale</i> (Blume) Ching	<i>Microsorum superficiale</i> (Blume) Ching	<i>Microsorum superficiale</i> (Blume) Ching
○ <i>Microsorum thailandicum</i> Boonkerd & Noot. ³	<i>Microsorum sp.</i>	Absent
<i>Microsorum zippelii</i> (Blume) Ching	<i>Microsorum zippelii</i> (Blume) Ching	<i>Microsorum zippelii</i> (Blume) Ching
<i>Neochieropteris normalis</i> (D.Don) Tagawa	<i>Neochieropteris normalis</i> (D.Don) Tagawa	<i>Neochieropteris normalis</i> (D.Don) Tagawa
● <i>Oreogrammitis adspersa</i> (Blume) Partris ³³	<i>Grammitis adspersa</i> Blume	<i>Grammitis adspersa</i> Blume
● <i>Oreogrammitis congener</i> (Blume) Partris ^{41,33}	<i>Grammitis setosa</i> auct. non Blume	<i>Grammitis setosa</i> auct. non Blume

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawatn, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
● <i>Oreogrammitis dorsipila</i> (Christ) Parris ³³	<i>Grammitis dorsipila</i> (Christ) C.Chr. & Tardieu	<i>Grammitis dorsipila</i> (Christ) C.Chr. & Tardieu
● <i>Oreogrammitis reinwardtii</i> (Blume) Parris ³³	<i>Grammitis bongoensis</i> (Copel.) Copel.	<i>Grammitis bongoensis</i> (Copel.) Copel.
● <i>Phymatosorus cuspidatus</i> (D.Don) Pic.Serm.	<i>Phymatosorus cuspidatus</i> (D.Don) Pic.Serm.	<i>Microsorum cuspidatum</i> (D.Don) Tagawa
● <i>Phymatosorus longissimus</i> (Blume) Pic.Serm.	<i>Phymatosorus longissimus</i> (Blume) Pic.Serm.	<i>Microsorum rubidum</i> (Kunze) Copel.
● <i>Phymatosorus membranifolius</i> (R.Br.) S.G.Lu ²⁵	<i>Phymatosorus nigrescens</i> (Blume) Pic.Serm.	<i>Microsorum nigrescens</i> (Blume) Copel.
● <i>Phymatosorus scolopendria</i> (Burm.f.) Pic.Serm.	<i>Phymatosorus scolopendria</i> (Burm.f.) Pic.Serm.	<i>Microsorum scolopendria</i> (Burm.f.) Copel.
● <i>Platycerium coronarium</i> (J.Koenig) Desv.	<i>Platycerium coronarium</i> (J.Koenig) Desv.	<i>Platycerium coronarium</i> (J.Koenig) Desv.
○ <i>Platycerium holttumii</i> de Jonch. & Hennipman	<i>Platycerium holttumii</i> de Jonch. & Hennipman	<i>Platycerium holttumii</i> de Jonch. & Hennipman
○ <i>Platycerium rideleyi</i> Christ ^f	<i>Platycerium rideleyi</i> Christ	Absent
○ <i>Platycerium wallichii</i> Hook.	<i>Platycerium wallichii</i> Hook.	<i>Platycerium wallichii</i> Hook.
● <i>Prosaptia alata</i> (Blume) Christ	<i>Prosaptia alata</i> (Blume) Christ	<i>Prosaptia alata</i> (Blume) Christ
● <i>Prosaptia barathrophylla</i> (Baker) M.G.Price ⁴¹	<i>Prosaptia khasiana</i> auct. non (Hook.) C.Chr. & Tardieu	<i>Prosaptia khasiana</i> auct. non (Hook.) C.Chr. & Tardieu
	<i>Prosaptia celebica</i> (Blume) Tagawa & K.Iwats.	<i>Prosaptia celebica</i> (Blume) Tagawa & K.Iwats.
	<i>Prosaptia contigua</i> (G.Forst.) C.Presl	<i>Prosaptia contigua</i> (G.Forst.) C.Presl
	<i>Prosaptia obliquata</i> (Blume) Mett.	<i>Prosaptia obliquata</i> (Blume) Mett.
● <i>Prosaptia pectinata</i> T.Moore ⁴¹	<i>Prosaptia leysii</i> (Baker) Ching	<i>Prosaptia leysii</i> (Baker) Ching
● <i>Pyrrosia albicans</i> (Blume) Ching ¹⁵	<i>Pyrrosia floccigera</i> (Blume) Ching	<i>Pyrrosia floccigera</i> (Blume) Ching
	<i>Pyrrosia angustata</i> (Sw.) Ching	<i>Pyrrosia angustata</i> (Sw.) Ching
	<i>Pyrrosia angustissima</i> (Giesenh. ex Diels)	<i>Pyrrosia angustissima</i> (Giesenh. ex Diels)
	Tagawa & K.Iwats.	Tagawa & K.Iwats.
	<i>Pyrrosia costata</i> (C.Presl ex Bedd.)	<i>Pyrrosia costata</i> (C.Presl ex Bedd.)
	Tagawa & K.Iwats.	Tagawa & K.Iwats.
	<i>Pyrrosia flocculosa</i> (D.Don) Ching	<i>Pyrrosia flocculosa</i> (D.Don) Ching

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawatn, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
● <i>Pyrrrosia lanceolata</i> (L.) Farw. ¹⁵	<i>Pyrrrosia lanceolata</i> (L.) Farw. + <i>Pyrrrosia adnascens</i> (Sw.) Ching + <i>Pyrrrosia nuda</i> (Giesenh.) Ching + <i>Pyrrrosia varia</i> (Kaulf.) Farw.	<i>Pyrrrosia lanceolata</i> (L.) Farw. + <i>Pyrrrosia adnascens</i> (Sw.) Ching + <i>Pyrrrosia nuda</i> (Giesenh.) Ching + <i>Pyrrrosia varia</i> (Kaulf.) Farw.
○ <i>Pyrrrosia lingua</i> (Thunb.) Farw. var. <i>lingua</i> ⁴	<i>Pyrrrosia lingua</i> (Thunb.) Farw. var. <i>lingua</i>	Absent
● <i>Pyrrrosia lingua</i> (Thunb.) Farw. var. <i>heteractis</i> (Mett. ex Kuhn) Hovenkamp	<i>Pyrrrosia lingua</i> (Thunb.) Farw. var. <i>heteractis</i> (Mett. ex Kuhn) Hovenkamp	<i>Pyrrrosia eberhardii</i> (Christ.) Ching + var. <i>heteractis</i> + <i>Pyrrrosia heteractis</i> (Mett. ex Kuhn) Ching var. <i>minor</i> (C.Chr.) Ching
		<i>Pyrrrosia longifolia</i> (Burm.f.) C.V.Morton
		<i>Pyrrrosia mannii</i> (Giesenh.) Ching
		<i>Pyrrrosia nummularifolia</i> (Sw.) Ching
		<i>Pyrrrosia penangiana</i> (Hook.) Holtum + <i>Pyrrrosia mollis</i> (Kunze) Ching
		<i>Pyrrrosia piloselloides</i> (L.) M.G.Price
		Absent
○ <i>Pyrrrosia porosa</i> (C.Presl) Hovenkamp var. <i>porosa</i> ³	<i>Pyrrrosia porosa</i> (C.Presl) Hovenkamp var. <i>porosa</i> ³	<i>Drymaglossum piloselloides</i> (L.) C.Presl
● <i>Pyrrrosia porosa</i> (C.Presl) Hovenkamp var. <i>tonkinensis</i> (Giesenh.) Ching	<i>Pyrrrosia tonkinensis</i> (Giesenh.) Ching	Absent
○ <i>Pyrrrosia rasamalae</i> (Racib.) K.H. Shing ^{10,15}	Absent	<i>Pyrrrosia tonkinensis</i> (Giesenh.) Ching
		<i>Pyrrrosia stigmosa</i> (Sw.) Ching
		<i>Grammitis jagoriana</i> (Mett.) Tagawa
● <i>Radiogrammitis multifolia</i> (Copel.) Parris ³³	<i>Radiogrammitis multifolia</i> (Copel.) Parris ^{41,33}	<i>Grammitis hirsutella</i> auct. non (Blume) Tuyama
● <i>Scleroglossum pusillum</i> (Blume) Alderw. ⁴¹	<i>Scleroglossum minus</i> auct. non (Fée) C.Chr.	<i>Scleroglossum pusillum</i> auct. non (Blume) Alderw.
● <i>Scleroglossum sulcatum</i> (Kuhn) Alderw. ⁴¹	<i>Scleroglossum pusillum</i> auct. non (Blume) Alderw.	<i>Crypsinus cruciformis</i> (Ching) Tagawa
● <i>Selliguea cruciformis</i> (Ching) Fraser-Jenk.		<i>Crypsinus cruciformis</i> (Ching) Tagawa

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawatn, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
• <i>Selliguea ebenipes</i> (Hook.) S.Linds.	<i>Crypsinus ebenipes</i> (Hook.) Copel.	<i>Crypsinus ebenipes</i> (Hook.) Copel.
• <i>Selliguea enervis</i> (Cav.) Ching	<i>Crypsinus enervis</i> (Cav.) Copel.	<i>Crypsinus enervis</i> (Cav.) Copel.
• <i>Selliguea griffithiana</i> (Hook.) Fraser-Jenk.	<i>Crypsinus griffithianus</i> (Hook.) Copel.	<i>Crypsinus griffithianus</i> (Hook.) Copel.
• <i>Selliguea heterocarpa</i> Blume	<i>Selliguea heterocarpa</i> Blume	<i>Selliguea heterocarpa</i> Blume
• <i>Selliguea hirsuta</i> (Tagawa & K.Iwats.) S.Linds.	<i>Crypsinus hirsutus</i> Tagawa & K.Iwats.	<i>Crypsinus hirsutus</i> Tagawa & K.Iwats.
• <i>Selliguea laciniata</i> (C.Presl) Parris	<i>Crypsinus laciniatus</i> (C.Presl) Holtum	<i>Crypsinus laciniatus</i> (C.Presl) Holtum
○ <i>Selliguea lateritia</i> (Baker) Hovenkamp ¹⁶	Absent	Absent
• <i>Selliguea oxyloba</i> (Wall. ex Kunze) Fraser-Jenk.	<i>Crypsinus oxylobus</i> (Wall. ex Kunze)	<i>Crypsinus oxylobus</i> (Wall. ex Kunze)
	Sledge	Sedge
• <i>Selliguea rhynchophylla</i> (Hook.) Fraser-Jenk.	<i>Crypsinus rhynchophyllus</i> (Hook.) Copel.	<i>Crypsinus rhynchophyllus</i> (Hook.) Copel.
• <i>Selliguea stenophylla</i> (Blume) Parris	<i>Crypsinus stenophyllus</i> (Blume) Holtum	<i>Crypsinus stenophyllus</i> (Blume) Holtum
• <i>Selliguea triloba</i> (Houtt.) M.G.Price	<i>Crypsinus trilobus</i> (Houtt.) Copel.	<i>Crypsinus trilobus</i> (Houtt.) Copel.
• <i>Thelypteris tenuisecta</i> (Blume) J.Sm.	<i>Ctenopteris tenuisecta</i> (Blume) J.Sm.	<i>Ctenopteris tenuisecta</i> (Blume) J.Sm.
• <i>Tomophyllum subfalcatum</i> (Blume) Parris ³³	<i>Ctenopteris subfalcata</i> (Blume) Kunze	<i>Ctenopteris subfalcata</i> (Blume) Kunze
• <i>Xiphopterella hieronymusii</i> (C.Chr.) Parris ³³	<i>Xiphopteris hieronymusii</i> (C.Chr.) Holtum	<i>Xiphopteris hieronymusii</i> (C.Chr.) Holtum
PSILOTACEAE		
	<i>Psilotum complanatum</i> Sw.	<i>Psilotum complanatum</i> Sw.
	<i>Psilotum nudum</i> (L.) Beauv.	<i>Psilotum nudum</i> (L.) Beauv.
PTERIDACEAE subfam. Cheilanthoideae		
○ <i>Cheilanthes argentea</i> (S.G.Gmel) Kunze ⁴	<i>Cheilanthes argentea</i> (S.G.Gmel) Kunze	Absent
	<i>Cheilanthes belangeri</i> (Bory) C.Chr.	<i>Cheilanthes belangeri</i> (Bory) C.Chr.
	<i>Cheilanthes delicatula</i> Tagawa & K.Iwats.	<i>Cheilanthes delicatula</i> Tagawa & K.Iwats.

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawatn, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
● <i>Cheilanthes formosana</i> Hayata	<i>Cheilanthes formosana</i> Hayata	<i>Cheilanthes fairinosa</i> auct. non (Forsk.) Kaulf., pro parte / <i>Cheilanthes formosana</i> Hayata
<i>Cheilanthes fragilis</i> Hook.	<i>Cheilanthes fragilis</i> Hook.	<i>Cheilanthes fragilis</i> Hook.
● <i>Cheilanthes krameri</i> Franch. & Sav.	<i>Cheilanthes krameri</i> Franch. & Sav.	<i>Cheilanthes fairinosa</i> auct. non (Forsk.) Kaulf., pro parte / <i>Cheilanthes krameri</i> Franch. & Sav.
● <i>Cheilanthes pseudoargentea</i> (S.K.Wu) K.Iwats.	<i>Cheilanthes pseudoargentea</i> (S.K.Wu) K.Iwats.	<i>Cheilanthes fairinosa</i> auct. non (Forsk.) Kaulf., pro parte / <i>Cheilanthes pseudoargentea</i> (S.K.Wu) K.Iwats.
● <i>Cheilanthes pseudofarinosa</i> (Ching & S.K.Wu) K.Iwats.	<i>Cheilanthes pseudofarinosa</i> (Ching & S.K.Wu) K.Iwats.	<i>Cheilanthes fairinosa</i> auct. non (Forsk.) Kaulf., pro parte / <i>Cheilanthes pseudofarinosa</i> (Ching & S.K.Wu) K.Iwats.
● <i>Cheilanthes rufa</i> D.Don	<i>Cheilanthes rufa</i> D.Don	<i>Cheilanthes rufa</i> D.Don + <i>Cheilanthes subrufa</i> auct. non Baker
● <i>Cheilanthes siamensis</i> (S.K.Wu) K.Iwats.	<i>Cheilanthes siamensis</i> (S.K.Wu) K.Iwats.	<i>Cheilanthes fairinosa</i> auct. non (Forsk.) Kaulf., pro parte / <i>Cheilanthes siamensis</i> (S.K.Wu) K.Iwats.
<i>Cheilanthes tenuifolia</i> (Burn.f.) Sw.	<i>Cheilanthes tenuifolia</i> (Burn.f.) Sw.	<i>Cheilanthes tenuifolia</i> (Burn.f.) Sw.
○ <i>Doryopteris alleniae</i> R.M.Tryon ¹⁰	Absent	Absent
○ <i>Doryopteris ludens</i> (Wall. ex Hook.) J.Sm.	<i>Doryopteris ludens</i> (Wall. ex Hook.) J.Sm.	<i>Doryopteris ludens</i> (Wall. ex Hook.) J.Sm.
● <i>Hemionitis vestita</i> (Wall. ex Hook.) J.Sm.	<i>Gymnopteris vestita</i> (Wall. ex Hook.) Underw.	<i>Gymnopteris vestita</i> (Wall. ex Hook.) Underw.
● <i>Notholaena velutina</i> Tardieu & C.Chr.	<i>Notholaena velutina</i> Tardieu & C.Chr.	<i>Notholaena velutina</i> Tardieu & C.Chr.
● <i>Parahemionitis cordata</i> (Roxb. ex Hook. & Grev.) Fraser-Jenk. ¹¹	<i>Hemionitis arifolia</i> (Burn.f.) T.Moore	<i>Hemionitis arifolia</i> (Burn.f.) T.Moore
○ <i>Pellaea timorensis</i> Alderw.	<i>Pellaea timorensis</i> Alderw.	Absent
PTERIDACEAE subfam. Cryptogrammoideae		
<i>Coniogramme fraxinea</i> (D.Don) Diels var. <i>serrulata</i> (Blume) Hieron.	<i>Coniogramme fraxinea</i> (D.Don) Diels var. <i>serrulata</i> (Blume) Hieron.	<i>Coniogramme fraxinea</i> (D.Don) Diels var. <i>serrulata</i> (Blume) Hieron.

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollaway, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
<i>Coniogramme petelotii</i> Tardieu	<i>Coniogramme petelotii</i> Tardieu	<i>Coniogramme petelotii</i> Tardieu
<i>Coniogramme procera</i> Féé	<i>Coniogramme procera</i> Féé	<i>Coniogramme procera</i> Féé
PTERIDACEAE subfam. Parkerioideae		
<i>Acrostichum aureum</i> L.	<i>Acrostichum aureum</i> L.	<i>Acrostichum aureum</i> L.
<i>Acrostichum speciosum</i> Willd.	<i>Acrostichum speciosum</i> Willd.	<i>Acrostichum speciosum</i> Willd.
<i>Ceratopteris thalictroides</i> (L.) Brongn.	<i>Ceratopteris thalictroides</i> (L.) Brongn.	<i>Ceratopteris thalictroides</i> (L.) Brongn.
PTERIDACEAE subfam. Pteridoideae		
<i>Oncidium contiguum</i> C.Hope	<i>Oncidium contiguum</i> C.Hope	<i>Oncidium contiguum</i> C.Hope
<i>Oncidium siliculosum</i> (Desv.) C.Chr.	<i>Oncidium siliculosum</i> (Desv.) C.Chr.	<i>Oncidium siliculosum</i> (Desv.) C.Chr.
<i>Pityrogramma calomelanos</i> (L.) Link	<i>Pityrogramma calomelanos</i> (L.) Link	<i>Pityrogramma calomelanos</i> (L.) Link
<i>Pteris aspericaulis</i> Wall. ex J.Agardh	<i>Pteris aspericaulis</i> Wall. ex J.Agardh	<i>Pteris aspericaulis</i> Wall. ex J.Agardh
<i>Pteris asperula</i> J.Sm. ex Hieron.	<i>Pteris asperula</i> J.Sm. ex Hieron.	<i>Pteris asperula</i> J.Sm. ex Hieron.
<i>Pteris bella</i> Tagawa	<i>Pteris bella</i> Tagawa	<i>Pteris bella</i> Tagawa
<i>Pteris biaurita</i> L.	<i>Pteris biaurita</i> L.	<i>Pteris biaurita</i> L.
<i>Pteris blumeana</i> J.Agardh	<i>Pteris blumeana</i> J.Agardh	<i>Pteris blumeana</i> J.Agardh
<i>Pteris cretica</i> L.	<i>Pteris cretica</i> L.	<i>Pteris cretica</i> L.
<i>Pteris dalhousiae</i> Hook.	<i>Pteris dalhousiae</i> Hook.	<i>Pteris dalhousiae</i> Hook.
<i>Pteris decrescens</i> Christ	<i>Pteris decrescens</i> Christ	<i>Pteris decrescens</i> Christ
<i>Pteris ensiformis</i> Burm.f.	<i>Pteris ensiformis</i> Burm.f.	<i>Pteris ensiformis</i> Burm.f.
<i>Pteris grevilleana</i> Wall. ex J.Agardh	<i>Pteris grevilleana</i> Wall. ex J.Agardh	<i>Pteris grevilleana</i> Wall. ex J.Agardh
<i>Pteris heteromorpha</i> Féé	<i>Pteris heteromorpha</i> Féé	<i>Pteris heteromorpha</i> Féé
<i>Pteris linearis</i> Poir.	<i>Pteris linearis</i> Poir.	<i>Pteris linearis</i> Poir.

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawatn, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
<i>Pteris longipes</i> D.Don	<i>Pteris longipes</i> D.Don	<i>Pteris longipes</i> D.Don
<i>Pteris longipinnula</i> Wall. ex J.Agardh	<i>Pteris longipinnula</i> Wall. ex J.Agardh	<i>Pteris longipinnula</i> Wall. ex J.Agardh
<i>Pteris mertensoides</i> Willd.	<i>Pteris mertensoides</i> Willd.	<i>Pteris mertensoides</i> Willd.
<i>Pteris multifida</i> Poir.	<i>Pteris multifida</i> Poir.	<i>Pteris multifida</i> Poir.
<i>Pteris nepalensis</i> H.Ito	<i>Pteris nepalensis</i> H.Ito	<i>Pteris nepalensis</i> H.Ito
<i>Pteris phluangensis</i> Tagawa & K.Iwats.	<i>Pteris phluangensis</i> Tagawa & K.Iwats.	<i>Pteris phluangensis</i> Tagawa & K.Iwats.
<i>Pteris plumbea</i> Christ	<i>Pteris plumbea</i> Christ	<i>Pteris plumbea</i> Christ
<i>Pteris scabripes</i> Wall. ex J.Agardh	<i>Pteris scabripes</i> Wall. ex J.Agardh	<i>Pteris scabripes</i> Wall. ex J.Agardh
<i>Pteris semipinnata</i> L.	<i>Pteris semipinnata</i> L.	<i>Pteris semipinnata</i> L.
<i>Pteris stenophylla</i> Wall. ex Hook. & Grev.	<i>Pteris stenophylla</i> Wall. ex Hook. & Grev.	<i>Pteris stenophylla</i> Wall. ex Hook. & Grev.
<i>Pteris subquintata</i> Wall. ex J.Agardh	<i>Pteris subquintata</i> Wall. ex J.Agardh	<i>Pteris subquintata</i> Wall. ex J.Agardh
<i>Pteris toktoi</i> Masam.	<i>Pteris toktoi</i> Masam.	<i>Pteris toktoi</i> Masam.
<i>Pteris tripartita</i> Sw.	<i>Pteris tripartita</i> Sw.	<i>Pteris tripartita</i> Sw.
<i>Pteris venusta</i> Kunze		<i>Pteris venusta</i> Kunze
<i>Pteris vittata</i> L.		<i>Pteris vittata</i> L.
<i>Pteris wallichiana</i> J.Agardh		<i>Pteris wallichiana</i> J.Agardh
<i>Syngamma alismifolia</i> (C.Presl) J.Sm.		<i>Syngamma alismifolia</i> (C.Presl) J.Sm.
<i>Taenitis blechnoides</i> (Willd.) Sw.		<i>Taenitis blechnoides</i> (Willd.) Sw.
○ <i>Taenitis interrupia</i> Hook. & Grev. ¹⁰		Absent
		PTERIDACEAE subfam. Vittarioideae
	<i>Adiantum capillus-veneris</i> L.	<i>Adiantum capillus-veneris</i> L.
	<i>Adiantum caudatum</i> L.	<i>Adiantum caudatum</i> L.
	<i>Adiantum edgeworthii</i> Hook.	<i>Adiantum edgeworthii</i> Hook.

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawat, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
<i>Adiantum erylliae</i> C.Chr. & Tardieu	<i>Adiantum erylliae</i> C.Chr. & Tardieu	<i>Adiantum erylliae</i> C.Chr. & Tardieu
<i>Adiantum flabellatum</i> L.	<i>Adiantum flabellatum</i> L.	<i>Adiantum flabellatum</i> L.
● <i>Adiantum fragiliforme</i> C.Chr. ⁴⁶	<i>Adiantum stenochlamys</i> Baker, pro parte	<i>Adiantum stenochlamys</i> Baker, pro parte
○ <i>Adiantum latifolium</i> Lam. ¹⁰	Absent	Absent
○ <i>Adiantum phanerensis</i> S.Linds. & D.J.Middleton ²¹	Absent	Absent
<i>Adiantum philippense</i> L. ⁴³	<i>Adiantum philippense</i> L.	<i>Adiantum philippense</i> L.
<i>Adiantum siamense</i> Tagawa & K.Iwats.	<i>Adiantum siamense</i> Tagawa & K.Iwats.	<i>Adiantum siamense</i> Tagawa & K.Iwats.
<i>Adiantum soboliferum</i> Wall. ex Hook.	<i>Adiantum soboliferum</i> Wall. ex Hook.	<i>Adiantum soboliferum</i> Wall. ex Hook.
<i>Adiantum stenochlamys</i> Baker	<i>Adiantum stenochlamys</i> Baker, pro parte	<i>Adiantum stenochlamys</i> Baker, pro parte
○ <i>Adiantum thonghamii</i> Suksathan ³⁷	Absent	Absent
<i>Adiantum zollingeri</i> Mett. ex Kuhn	<i>Adiantum zollingeri</i> Mett. ex Kuhn	<i>Adiantum zollingeri</i> Mett. ex Kuhn
<i>Antrophyllum callifolium</i> Blume	<i>Antrophyllum callifolium</i> Blume	<i>Antrophyllum callifolium</i> Blume
<i>Antrophyllum obovatum</i> Baker	<i>Antrophyllum obovatum</i> Baker	<i>Antrophyllum obovatum</i> Baker
<i>Antrophyllum parvulum</i> Blume	<i>Antrophyllum parvulum</i> Blume	<i>Antrophyllum parvulum</i> Blume
● <i>Antrophyllum vittarioides</i> Baker ³⁹	<i>Antrophyllum stenophyllum</i> Baker	<i>Antrophyllum stenophyllum</i> Baker
● <i>Haplopteris amboinensis</i> (Fée) X.C.Zhang ⁴⁰	<i>Vittaria amboinensis</i> Fée + <i>Vittaria forrestiana</i> auct. non Ching	<i>Vittaria amboinensis</i> Fée + <i>Vittaria forrestiana</i> auct. non Ching
● <i>Haplopteris angustifolia</i> (Blume) E.H.Crane	<i>Vittaria angustifolia</i> Blume	<i>Vittaria angustifolia</i> Blume
● <i>Haplopteris elongata</i> (Sw.) E.H.Crane	<i>Vittaria elongata</i> Sw.	<i>Vittaria elongata</i> Sw.
● <i>Haplopteris ensiformis</i> (Sw.) E.H.Crane	<i>Vittaria ensiformis</i> Sw.	<i>Vittaria ensiformis</i> Sw.
● <i>Haplopteris flexuosa</i> (Fée) E.H.Crane	<i>Vittaria flexuosa</i> Fée	<i>Vittaria flexuosa</i> Fée
● <i>Haplopteris scolopendrina</i> C.Presl	<i>Vittaria scolopendrina</i> (Bory) Thwaites & Hook.	<i>Vittaria scolopendrina</i> (Bory) Thwaites & Hook.
● <i>Haplopteris sikkimensis</i> (Kuhn) E.H.Crane	<i>Vittaria sikkimensis</i> Kuhn	<i>Vittaria sikkimensis</i> Kuhn
● <i>Haplopteris taeniophylla</i> (Copel.) E.H.Crane	<i>Vittaria taeniophylla</i> Copel.	<i>Vittaria taeniophylla</i> Copel.

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawatn, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
• <i>Haploderis winitii</i> (Tagawa & K.Iwats.) S.Linds.	<i>Antrophyum winitii</i> Tagawa & K.Iwats.	<i>Antrophyum winitii</i> Tagawa & K.Iwats.
<i>Viginularia paradoxa</i> (Fée) Mett.	<i>Viginularia paradoxa</i> (Fée) Mett.	<i>Viginularia paradoxa</i> (Fée) Mett.
<i>Viginularia trichoidea</i> Fée	<i>Viginularia trichoidea</i> Fée	<i>Viginularia trichoidea</i> Fée
SALVINIACEAE		
<i>Azolla caroliniana</i> Willd.	<i>Azolla caroliniana</i> Willd.	<i>Azolla caroliniana</i> Willd.
<i>Azolla pinnata</i> R.Br.	<i>Azolla pinnata</i> R.Br.	<i>Azolla pinnata</i> R.Br.
<i>Salvinia cucullata</i> Roxb. ex Bory	<i>Salvinia cucullata</i> Roxb. ex Bory	<i>Salvinia cucullata</i> Roxb. ex Bory
<i>Salvinia natans</i> (L.) All.	<i>Salvinia natans</i> (L.) All.	<i>Salvinia natans</i> (L.) All.
SCHIZAEACEAE		
<i>Schizaea dichotoma</i> (L.) Sm.	<i>Schizaea dichotoma</i> (L.) Sm.	<i>Schizaea dichotoma</i> (L.) Sm.
<i>Schizaea digitata</i> (L.) Sw.	<i>Schizaea digitata</i> (L.) Sw.	<i>Schizaea digitata</i> (L.) Sw.
TECTARIACEAE		
<i>Arthropteris palisotii</i> (Desv.) Alston	<i>Arthropteris palisotii</i> (Desv.) Alston	<i>Arthropteris palisotii</i> (Desv.) Alston
<i>Hetergonium alderveretii</i> Holttum	<i>Hetergonium alderveretii</i> Holttum	<i>Hetergonium alderveretii</i> Holttum
<i>Hetergonium gurupahense</i> (C.Chr.) Holttum	<i>Hetergonium gurupahense</i> (C.Chr.) Holttum	<i>Hetergonium gurupahense</i> (C.Chr.) Holttum
<i>Hetergonium hemipmanii</i> Tagawa & K.Iwats.	<i>Hetergonium hemipmanii</i> Tagawa & K.Iwats.	<i>Hetergonium hemipmanii</i> Tagawa & K.Iwats.
<i>Hetergonium pinnatum</i> (Copel.) Holttum	<i>Hetergonium pinnatum</i> (Copel.) Holttum	<i>Hetergonium pinnatum</i> (Copel.) Holttum
<i>Hetergonium saganoides</i> (Mett.) Holttum	<i>Hetergonium saganoides</i> (Mett.) Holttum	<i>Hetergonium saganoides</i> (Mett.) Holttum
<i>Pleocnemia hemitiliiformis</i> (Racib.) Holttum	<i>Pleocnemia hemitiliiformis</i> (Racib.) Holttum	<i>Pleocnemia hemitiliiformis</i> (Racib.) Holttum
<i>Pleocnemia irregularis</i> (C.Pres.) Holttum	<i>Pleocnemia irregularis</i> (C.Pres.) Holttum	<i>Pleocnemia irregularis</i> (C.Pres.) Holttum
<i>Pleocnemia submembranacea</i> (Hayata) Tagawa & K.Iwats.	<i>Pleocnemia submembranacea</i> (Hayata) Tagawa & K.Iwats.	<i>Pleocnemia submembranacea</i> (Hayata) Tagawa & K.Iwats.

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawatti, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
<i>Pteridrys australis</i> Ching	<i>Pteridrys australis</i> Ching	<i>Pteridrys australis</i> Ching
<i>Pteridrys cneidiaria</i> (Christ) C.Chr. & Ching	<i>Pteridrys cneidiaria</i> (Christ) C.Chr. & Ching	<i>Pteridrys cneidiaria</i> (Christ) C.Chr. & Ching
<i>Pteridrys syrnatica</i> (Willd.) C.Chr. & Ching	<i>Pteridrys syrnatica</i> (Willd.) C.Chr. & Ching	<i>Pteridrys syrnatica</i> (Willd.) C.Chr. & Ching
<i>Tectaria amplifolia</i> (Alderw.) C.Chr.	<i>Tectaria amplifolia</i> (Alderw.) C.Chr.	<i>Tectaria amplifolia</i> (Alderw.) C.Chr.
<i>Tectaria angulata</i> (Willd.) C.Chr.	<i>Tectaria angulata</i> (Willd.) C.Chr.	<i>Tectaria angulata</i> (Willd.) C.Chr.
<i>Tectaria barberi</i> (Hook.) Copel.	<i>Tectaria barberi</i> (Hook.) Copel.	<i>Tectaria barberi</i> (Hook.) Copel.
○ <i>Tectaria brachiatia</i> (Zoll. & Moritz) C.V.Morton ⁴	<i>Tectaria brachiatia</i> (Zoll. & Moritz) C.V.Morton	Absent
● <i>Tectaria christii</i> Copel. ¹³	<i>Tectaria christii</i> Copel.	<i>Tectaria coadunata</i> (J.Sm.) C.Chr., pro parte
<i>Tectaria coadunata</i> (J.Sm.) C.Chr.	absent	<i>Tectaria coadunata</i> (J.Sm.) C.Chr., pro parte
<i>Tectaria crenata</i> Cav.		<i>Tectaria crenata</i> Cav.
<i>Tectaria decurrens</i> (C.Presl) Copel.		<i>Tectaria decurrens</i> (C.Presl) Copel.
<i>Tectaria devexa</i> (Kunze) Copel.		<i>Tectaria devexa</i> (Kunze) Copel.
<i>Tectaria fauriei</i> Tagawa		<i>Tectaria fauriei</i> Tagawa
● <i>Tectaria fissa</i> (Kunze) Holtum ¹³		<i>Tectaria fumicifolia</i> (Ridl.) C.Chr.
<i>Tectaria fuscipes</i> (Wall. ex Bedd.) C.Chr.		<i>Tectaria fuscipes</i> (Wall. ex Bedd.) C.Chr.
<i>Tectaria griffithii</i> (Baker) C.Chr.		<i>Tectaria griffithii</i> (Baker) C.Chr.
<i>Tectaria gymnosora</i> Holtum		<i>Tectaria gymnosora</i> Holtum
<i>Tectaria herpetocaulos</i> Holtum		<i>Tectaria herpetocaulos</i> Holtum
● <i>Tectaria impressa</i> (Fée) Holtum		<i>Tectaria variolosa</i> (Wall. ex Hook.) C.Chr.
○ <i>Tectaria heckii</i> (Luerss.) C.Chr. ⁴		Absent
<i>Tectaria laotica</i> Tardieu & C.Chr.		<i>Tectaria laotica</i> Tardieu & C.Chr.
● <i>Tectaria manilensis</i> (C.Presl) Holtum		<i>Ctenitis manilensis</i> (C.Presl) Holtum
var. <i>chupengensis</i> (Ridl.) Holtum		var. <i>chupengensis</i> (Ridl.) Holtum

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawatn, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
<i>Tectaria melanocaulis</i> (Blume) Copel.	<i>Tectaria melanocaulis</i> (Blume) Copel.	<i>Tectaria melanocaulis</i> (Blume) Copel.
<i>Tectaria phaeocaulis</i> (Rosenst.) C.Chr.	<i>Tectaria phaeocaulis</i> (Rosenst.) C.Chr.	<i>Tectaria phaeocaulis</i> (Rosenst.) C.Chr.
○ <i>Tectaria phanomensis</i> S.Linds. ²⁴	Absent	Absent
○ <i>Tectaria pilosa</i> (Fée) R.C.Moran ⁴	<i>Tectaria pilosa</i> (Fée) R.C.Moran	Absent
<i>Tectaria polymorpha</i> (Wall. ex Hook.) Copel.	<i>Tectaria polymorpha</i> (Wall. ex Hook.) Copel.	<i>Tectaria polymorpha</i> (Wall. ex Hook.) Copel.
<i>Tectaria rockii</i> C.Chr.	<i>Tectaria rockii</i> C.Chr.	<i>Tectaria rockii</i> C.Chr.
● <i>Tectaria semipinnata</i> (Roxb.) C.V.Morton	<i>Tectaria semipinnata</i> (Roxb.) C.V.Morton	<i>Tectaria maingayi</i> (Baker) C.Chr.
○ <i>Tectaria shahidaniana</i> Rusca ⁴⁴	Absent	Absent
○ <i>Tectaria sifolia</i> (Willd.) Copel.	<i>Tectaria sifolia</i> (Willd.) Copel.	Absent
<i>Tectaria simonsii</i> (Baker) Ching	<i>Tectaria simonsii</i> (Baker) Ching	<i>Tectaria simonsii</i> (Baker) Ching
<i>Tectaria singaporeana</i> (Wall. ex Hook. & Grev.) Ching	<i>Tectaria singaporeana</i> (Wall. ex Hook. & Grev.) Ching	<i>Tectaria singaporeana</i> (Wall. ex Hook. & Grev.) Ching
<i>Tectaria tenerifrons</i> (Hook.) Ching	<i>Tectaria tenerifrons</i> (Hook.) Ching	<i>Tectaria tenerifrons</i> (Hook.) Ching
<i>Tectaria ternifolia</i> (Alderw.) C.Chr.	<i>Tectaria ternifolia</i> (Alderw.) C.Chr.	<i>Tectaria ternifolia</i> (Alderw.) C.Chr.
<i>Tectaria vasta</i> (Blume) Copel.	<i>Tectaria vasta</i> (Blume) Copel.	<i>Tectaria vasta</i> (Blume) Copel.
● <i>Tectaria zeilanica</i> (Houtt.) Copel.	<i>Quercifilix zeilanica</i> (Houtt.) Copel.	<i>Quercifilix zeilanica</i> (Houtt.) Copel.
THELYPTERIDACEAE		
● <i>Cyclosorus aridus</i> (D.Don) Ching	<i>Christella arida</i> (D.Don) Holtum	<i>Thelypteris arida</i> (D.Don) C.V.Morton
● <i>Cyclosorus articulatus</i> (Houlston & T.Moore) Panigrahi	<i>Pronephrium articulatum</i> (Houlston & T.Moore) Holtum	<i>Thelypteris articulata</i> (Houlston & T.Moore) Tagawa & K.Iwats.
● <i>Cyclosorus asperus</i> (C.Presl) B.K.Nayar & Kaur	<i>Pronephrium asperum</i> (C.Presl) Holtum	<i>Thelypteris aspera</i> (C.Presl) K.Iwats.
● <i>Cyclosorus canus</i> (Baker) S.Linds. ¹⁴	<i>Thelypteris repens</i> (C.Hope) Ching	<i>Thelypteris repens</i> (C.Hope) Ching
● <i>Cyclosorus ciliatus</i> (Wall. ex Benth.) Panigrahi	<i>Trigonospora ciliata</i> (Wall. ex Benth.) Holtum	<i>Thelypteris ciliata</i> (Wall. ex Benth.) Ching

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollaway, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
• <i>Cyclosorus crassifolius</i> (Blume) S.Linds.	<i>Mesophlebion crassifolium</i> (Blume) Holtum	<i>Thelypteris crassifolia</i> (Blume) Ching
• <i>Cyclosorus crinipes</i> (Hook.) Ching	<i>Christella crinipes</i> (Hook.) Holtum	<i>Thelypteris crinipes</i> (Hook.) K.Iwats.
• <i>Cyclosorus clarkei</i> (Bedd.) Ching ¹¹	<i>Cyclosorus cylindrothrix</i> (Rosenst.) Ching	<i>Thelypteris cylindrothrix</i> (Rosenst.) K.Iwats.
• <i>Cyclosorus dentatus</i> (Forssk.) Ching	<i>Christella dentata</i> (Forssk.) Brownsey & Jeremy	<i>Thelypteris dentata</i> (Forssk.) E.P.St.John
• <i>Cyclosorus evolutus</i> (C.B.Clarke & Baker) Ching	<i>Christella evoluta</i> (C.B.Clarke & Baker) Holtum	<i>Thelypteris evoluta</i> (C.B.Clarke & Baker) Tagawa & K.Iwats
• <i>Cyclosorus exsculptus</i> (Baker) S.Linds.	<i>Pronephrium exsculptum</i> (Baker) Holtum	<i>Thelypteris exsculpta</i> (Baker) K.Iwats.
• <i>Cyclosorus faidherbei</i> (Hook.) Panigrahi	<i>Thelypteris faidherbei</i> (Hook.) Ching	<i>Thelypteris faidherbei</i> (Hook.) Ching
• <i>Cyclosorus ferox</i> (Blume) Ching	<i>Chingia ferox</i> (Blume) Holtum	<i>Thelypteris ferox</i> (Blume) Tagawa & K.Iwats.
• <i>Cyclosorus glandulosus</i> (Blume) Ching	<i>Pronephrium glandulosum</i> (Blume) Holtum	<i>Thelypteris glandulosa</i> (Blume) Tagawa & K.Iwats., nom. illeg.
• <i>Cyclosorus heterocarpus</i> (Blume) Ching	<i>Sphaerostephanos heterocarpus</i> (Blume) Holtum	<i>Thelypteris heterocarpa</i> (Blume) C.V.Morton
• <i>Cyclosorus immersus</i> (Blume) S.Linds.	<i>Amphineuron immersum</i> (Blume) Holtum	<i>Thelypteris immersa</i> (Blume) Ching
• <i>Cyclosorus interruptus</i> (Willd.) H.Ito	<i>Cyclosorus interruptus</i> (Willd.) H.Ito	<i>Thelypteris interrupta</i> (Willd.) K.Iwats.
• <i>Cyclosorus lakhimpurensis</i> (Rosenst.) B.K.Nayar & Kaur	<i>Pronephrium lakhimpurensis</i> (Rosenst.) Holtum	<i>Thelypteris lakhimpurensis</i> (Rosenst.) K.Iwats.
• <i>Cyclosorus larutensis</i> (Bedd.) Ching	<i>Sphaerostephanos larutensis</i> (Bedd.) C.Chr.	<i>Thelypteris larutensis</i> (Bedd.) Tagawa & K.Iwats.
• <i>Cyclosorus lebeufii</i> (Baker) W.M.Chu	<i>Christella lebeufii</i> (Baker) Holtum	<i>Thelypteris lebeufii</i> (Baker) Panigrahi
• <i>Cyclosorus megaphyllus</i> (Mett.) Ching	<i>Sphaerostephanos penniger</i> Holtum, nom. nud.	<i>Thelypteris megaphylla</i> (Mett.) K.Iwats.
• <i>Cyclosorus menisciarpus</i> (Blume) Holtum	<i>Pronephrium menisciarpum</i> (Blume) Holtum	<i>Thelypteris menisciarpa</i> (Blume) K.Iwats.

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawatn, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
● <i>Cyclosorus molluscus</i> (Kuhn) Ching	<i>Christella appendiculata</i> (C.Presl) Holtum	<i>Thelypteris molluscula</i> (Kuhn) K.Iwats.
● <i>Cyclosorus nudatus</i> (Roxb.) B.K.Nayar & Kaur	<i>Pronephrium nudatum</i> (Roxb.) Holtum	<i>Thelypteris nudata</i> (Roxb.) C.V.Morton
● <i>Cyclosorus opulentus</i> (Kaulf.) Nakaike	<i>Amphineuron opulentum</i> (Kaulf.) Holtum	<i>Thelypteris opulenta</i> (Kaulf.) Fosberg
● <i>Cyclosorus papilio</i> (C.Hope) Ching	<i>Christella papilio</i> (C.Hope) Holtum	<i>Thelypteris papilio</i> (C.Hope) K.Iwats.
● <i>Cyclosorus parasiticus</i> (L.) Farw.	<i>Christella parasitica</i> (L.) H.Lév.	<i>Thelypteris parasitica</i> (L.) Tardieu
● <i>Cyclosorus penangianus</i> (Hook.) Copel.	<i>Pronephrium penangianum</i> (Hook.) Holtum	<i>Thelypteris penangiana</i> (Hook.) C.F.Reed
● <i>Cyclosorus polycarpus</i> (Blume) Holtum	<i>Sphaerostephanos polycarpa</i> (Blume) Copel.	<i>Thelypteris polycarpa</i> (Blume) K.Iwats.
● <i>Cyclosorus prolifer</i> (Retz.) Tardieu ex Tardieu & C.Chr.	<i>Meniscium proliferum</i> (Retz.) Sw.	<i>Meniscium proliferum</i> (Retz.) Sw.
● <i>Cyclosorus repandum</i> (Fée) B.K.Nayar & Kaur	<i>Pronephrium repandum</i> (Fée) Holtum	<i>Thelypteris repanda</i> (Fée) C.V.Morton
○ <i>Cyclosorus rubicundus</i> (Alderw.) S.Linds. ⁴	<i>Pronephrium rubicundum</i> (Alderw.) Holtum	Absent
○ <i>Cyclosorus salicifolius</i> (Wall. ex Hook.) Copel. ⁴	<i>Pronephrium salicifolium</i> (Wall. ex Hook.) Holtum	Absent
● <i>Cyclosorus siamensis</i> (Tagawa & K.Iwats.) Panigrahi	<i>Christella siamensis</i> (Tagawa & K.Iwats.) Holtum	<i>Thelypteris siamensis</i> Tagawa & K.Iwats.
● <i>Cyclosorus subelatus</i> (Baker) Ching	<i>Christella subelata</i> (Baker) Holtum	<i>Thelypteris subelata</i> (Baker) K.Iwats.
● <i>Cyclosorus subpubescens</i> (Blume) Ching ¹²	<i>Christella subpubescens</i> (Blume) Holtum + <i>Christella latipinna</i> (Benth.) H.Lév.	<i>Thelypteris subpubescens</i> (Blume) K.Iwats. + <i>Thelypteris latipinna</i> (Hook.) K.Iwats. + <i>Thelypteris sumatrana</i> (Alderw.) Tagawa & K.Iwats.
● <i>Cyclosorus terminans</i> (J.Sm. ex Hook.) Panigrahi	<i>Amphineuron terminans</i> (J.Sm. ex Hook.) Holtum	<i>Thelypteris terminans</i> (J.Sm. ex Hook.) Tagawa & K.Iwats.
○ <i>Cyclosorus thailandicus</i> S.Linds. ²⁴	Absent	Absent
● <i>Cyclosorus triphyllus</i> (Sw.) Tardieu ex Tardieu & C.Chr. var. <i>triphyllum</i>	<i>Pronephrium triphyllum</i> (Sw.) Holtum var. <i>triphyllum</i>	<i>Thelypteris triphylla</i> (Sw.) K.Iwats. var. <i>triphylla</i>
● <i>Cyclosorus triphyllus</i> (Sw.) Tardieu ex Tardieu & C.Chr. var. <i>parishii</i> (Bedd.) S.Linds.	<i>Pronephrium triphyllum</i> (Sw.) Holtum var. <i>parishii</i> (Bedd.) Nakaike	<i>Thelypteris triphylla</i> (Sw.) K.Iwats. var. <i>parishii</i> (Bedd.) K.Iwats.
● <i>Cyclosorus truncatus</i> (Poir.) Farw.	<i>Pneumatopteris truncata</i> (Poir.) Holtum	<i>Thelypteris truncata</i> (Poir.) K.Iwats.
● <i>Cyclosorus tuberculifer</i> (C.Chr.) Panigrahi	<i>Thelypteris tuberculifera</i> (C.Chr.) Ching	<i>Thelypteris tuberculifera</i> (C.Chr.) Ching

CURRENT NAME	NAME IN PTERIDOPHYTES IN THAILAND (Boonkerd & Pollawatn, 2000)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
● <i>Cyclosorus tyloides</i> (Kunze) Panigrahi ¹⁴	<i>Thelypteris xyloides</i> (Kunze) Ching	<i>Thelypteris xyloides</i> (Kunze) Ching
● <i>Cyclosorus unitus</i> (L.) Holttum		<i>Thelypteris unita</i> (L.) C.V.Morton
● <i>Cyclosorus validius</i> (Christ) Ching	<i>Cyclosorus hirsitorus</i> (C.Chr.) Ching	<i>Thelypteris hirsitorsa</i> (C.Chr.) K.Iwats. + <i>Thelypteris valida</i> (Christ) Tagawa & K.Iwats.
● <i>Macrothelypteris ornata</i> (Wall. ex Bedd.) Ching	<i>Macrothelypteris ornata</i> (Wall. ex Bedd.) Ching	<i>Thelypteris ornata</i> (Wall. ex Bedd.) Ching
● <i>Macrothelypteris torresiana</i> (Gaudich.) Ching	<i>Macrothelypteris torresiana</i> (Gaudich.) Ching	<i>Thelypteris torresiana</i> (Gaudich.) Alston
● <i>Pseudophegopteris sumatrana</i> Holttum	<i>Pseudophegopteris sumatrana</i> Holttum	Absent
● <i>Thelypteris confluens</i> (Thunb.) C.V.Morton	<i>Thelypteris confluens</i> (Thunb.) C.V.Morton	<i>Thelypteris confluens</i> (Thunb.) C.V.Morton
● <i>Thelypteris flaccida</i> (Blume) Ching	<i>Metathelypteris flaccida</i> (Blume) Ching	<i>Thelypteris flaccida</i> (Blume) Ching
● <i>Thelypteris hirsutipes</i> (Clarke) Ching	<i>Coryphopteris hirsutipes</i> (C.B.Clarke) Holttum	<i>Thelypteris hirsutipes</i> (Clarke) Ching
○ <i>Thelypteris lara</i> (Franch. & Sav.) Ching ²⁶	Absent	Absent
● <i>Thelypteris singalensis</i> (Baker) Ching	<i>Metathelypteris singalensis</i> (Baker) Ching	<i>Thelypteris singalensis</i> (Baker) Ching
● <i>Thelypteris viscosa</i> (Baker) Ching	<i>Coryphopteris viscosa</i> (Baker) Holttum	<i>Thelypteris viscosa</i> (Baker) Ching
WOODSIACEAE		
● <i>Athyrium anisopterum</i> Christ	<i>Athyrium anisopterum</i> Christ	<i>Athyrium anisopterum</i> Christ
● <i>Anisocampium cumingianum</i> C.Presl	<i>Anisocampium cumingianum</i> C.Presl	<i>Anisocampium cumingianum</i> C.Presl
● <i>Athyrium cuspidatum</i> (Bedd.) M.Kato	<i>Kuniwatsukia cuspidata</i> (Bedd.) Pichi-Serm.	<i>Kuniwatsukia cuspidata</i> (Bedd.) Pic.Serm.
● <i>Athyrium dissitifolium</i> (Baker) C.Chr.	<i>Athyrium dissitifolium</i> (Baker) C.Chr.	<i>Athyrium dissitifolium</i> (Baker) C.Chr.
● <i>Athyrium mackinonii</i> (C.Hope) C.Chr.	<i>Athyrium mackinonii</i> (C.Hope) C.Chr.	<i>Athyrium mackinonii</i> (C.Hope) C.Chr.
● <i>Athyrium setiferum</i> C.Chr.	<i>Athyrium setiferum</i> C.Chr.	<i>Athyrium setiferum</i> C.Chr.
● <i>Cornopteris opaca</i> (D.Don) Tagawa		<i>Cornopteris opaca</i> (D.Don) Tagawa
● <i>Deparia petersenii</i> (Kunze) M.Kato		<i>Deparia japonica</i> auct. non (Thunb.) Copel. M.Kato / <i>Deparia petersenii</i> (Kunze) M.Kato

CURRENT NAME (Boonkerd & Pollawatn, 2000)	NAME IN PTERIDOPHYTES IN THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
● <i>Deparia subfluvialis</i> (Hayata) M.Kato	<i>Athyrium boryanum</i> auct. non (Willd.) Tagawa	<i>Deparia boryana</i> auct. non (Willd.) M.Kato / <i>Deparia subfluvialis</i> (Hayata) M.Kato
<i>Diplazium accedens</i> Blume	<i>Diplazium accedens</i> Blume	<i>Diplazium accedens</i> Blume
<i>Diplazium bantamense</i> Blume	<i>Diplazium bantamense</i> Blume	<i>Diplazium bantamense</i> Blume
<i>Diplazium conterminum</i> Christ	<i>Diplazium conterminum</i> Christ	<i>Diplazium conterminum</i> Christ
<i>Diplazium cordifolium</i> Blume	<i>Diplazium cordifolium</i> Blume	<i>Diplazium cordifolium</i> Blume
<i>Diplazium crenato-serratum</i> (Blume) T Moore	<i>Diplazium crenato-serratum</i> (Blume) T Moore	<i>Diplazium crenato-serratum</i> (Blume) T Moore
<i>Diplazium dilatatum</i> Blume	<i>Diplazium dilatatum</i> Blume	<i>Diplazium dilatatum</i> Blume
○ <i>Diplazium doederleinii</i> (Luerss.) Makino ²⁶	Absent	Absent
<i>Diplazium donianum</i> (Mett.) Tardieu	<i>Diplazium donianum</i> (Mett.) Tardieu	<i>Diplazium donianum</i> (Mett.) Tardieu
<i>Diplazium esculentum</i> (Retz.) Sw.	<i>Diplazium esculentum</i> (Retz.) Sw.	<i>Diplazium esculentum</i> (Retz.) Sw.
<i>Diplazium heterophlebium</i> (Mett. ex Baker) Diels	<i>Diplazium heterophlebium</i> (Mett. ex Baker) Diels	<i>Diplazium heterophlebium</i> (Mett. ex Baker) Diels
<i>Diplazium leptophyllum</i> Christ	<i>Diplazium leptophyllum</i> Christ	<i>Diplazium leptophyllum</i> Christ
<i>Diplazium malaccense</i> C.Presl	<i>Diplazium malaccense</i> C.Presl	<i>Diplazium malaccense</i> C.Presl
<i>Diplazium megaphyllum</i> (Baker) Christ	<i>Diplazium megaphyllum</i> (Baker) Christ	<i>Diplazium megaphyllum</i> (Baker) Christ
<i>Diplazium mentenianum</i> (Miq.) C.Chr.	<i>Diplazium mentenianum</i> (Miq.) C.Chr.	<i>Diplazium mentenianum</i> (Miq.) C.Chr.
<i>Diplazium muricatum</i> (Mett.) Alderw.	<i>Diplazium muricatum</i> (Mett.) Alderw.	<i>Diplazium muricatum</i> (Mett.) Alderw.
<i>Diplazium petelotii</i> Tardieu	<i>Diplazium petelotii</i> Tardieu	<i>Diplazium petelotii</i> Tardieu
<i>Diplazium petri</i> Tardieu	<i>Diplazium petri</i> Tardieu	<i>Diplazium petri</i> Tardieu
<i>Diplazium polypodioides</i> Blume	<i>Diplazium polypodioides</i> Blume	<i>Diplazium polypodioides</i> Blume
<i>Diplazium prescottianum</i> (Wall. ex Hook.) T.Moore	<i>Diplazium prescottianum</i> (Wall. ex Hook.) T.Moore	<i>Diplazium prescottianum</i> (Wall. ex Hook.) T.Moore
○ <i>Diplazium procumbens</i> Holttm ¹⁰	Absent	Absent

CURRENT NAME (Boonkerd & Pollawatn, 2000)	NAME IN PTERIDOPHYTES IN THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)	NAME IN FLORA OF THAILAND (Tagawa & Iwatsuki, 1979, 1985, 1988, 1989)
<i>Diplazium riparium</i> Holtum	<i>Diplazium riparium</i> Holtum	<i>Diplazium riparium</i> Holtum
<i>Diplazium siamense</i> C.Chr.	<i>Diplazium siamense</i> C.Chr.	<i>Diplazium siamense</i> C.Chr.
<i>Diplazium sylvaticum</i> (Bory) Sw.	<i>Diplazium sylvaticum</i> (Bory) Sw.	<i>Diplazium sylvaticum</i> (Bory) Sw.
<i>Diplazium simpliciventre</i> Holtum	<i>Diplazium simpliciventre</i> Holtum	<i>Diplazium simpliciventre</i> Holtum
<i>Diplazium sorzogonense</i> (C.Presl) C.Presl	<i>Diplazium sorzogonense</i> (C.Presl) C.Presl	<i>Diplazium sorzogonense</i> (C.Presl) C.Presl
<i>Diplazium subintegrum</i> Holtum	<i>Diplazium subintegrum</i> Holtum	<i>Diplazium subintegrum</i> Holtum
<i>Diplazium subserratum</i> Blume	<i>Diplazium subserratum</i> Blume	<i>Diplazium subserratum</i> Blume
<i>Diplazium subsinuatum</i> (Wall. ex Hook. & Grev.) Tagawa	<i>Diplazium subsinuatum</i> (Wall. ex Hook. & Grev.) Tagawa	<i>Diplazium subsinuatum</i> (Wall. ex Hook. & Grev.) Tagawa
<i>Diplazium taiwanense</i> Tagawa	<i>Diplazium taiwanense</i> Tagawa	<i>Diplazium taiwanense</i> Tagawa
<i>Diplazium tomentosum</i> Blume	<i>Diplazium tomentosum</i> Blume	<i>Diplazium tomentosum</i> Blume
○ <i>Diplazium virescens</i> Kunze ²⁶	Absent	Absent
<i>Diplazium xiphophyllum</i> (Baker) C.Chr.	<i>Diplazium xiphophyllum</i> (Baker) C.Chr.	<i>Diplazium xiphophyllum</i> (Baker) C.Chr.

REFERENCES

- Boonkerd, T. (2006). A new species of *Microsorum* (Polypodiaceae) from Thailand. *Blumea* 51: 143–145.
- _____. *Asplenium inaequilaterale* Willd. (Aspleniaceae) a new record for Thailand. ScienceAsia, in press.
- Boonkerd, T. & Nooteboom, H.P. (2001). A new species of *Microsorum* (Polypodiaceae) from Thailand. *Blumea* 46: 581–583.
- Boonkerd, T. & Pollawatn, R. (2000). Pteridophytes in Thailand. Office of Environmental Policy and Planning, Bangkok.
- _____. (2002a). *Leptochilus minor* Fée (Polypodiaceae), a new record for Thailand. The Natural History Journal of Chulalongkorn University 2: 1–3.
- _____. (2002b). The first record of *Pteridium aquilinum* (L.) Kuhn var. *latiusculum* (Desv.) Underw. ex A.Heller (Dennstaedtiaceae) in Thailand. *Thai Forest Bulletin (Botany)* 30: 72–74.
- _____. (2004). A revised taxonomic account of the fern genus *Woodwardia* (Blechnaceae) in Thailand. *Thai Forest Bulletin (Botany)* 32: 1–5.
- _____. (2006). Pteridophyte flora of Thong Pha Phum National Park, Kanchanaburi Province, Thailand. The Natural History Journal of Chulalongkorn University 6: 17–30.
- Boonkerd, T. & Suksathan, P. (2009). *Asplenium gueinzianum* Mett. ex Kuhn (Aspleniaceae), newly discovered in Thailand. The Natural History Journal of Chulalongkorn University 9(1): 95–98.
- Boonkerd, T., Lindsay, S., Middleton, D.J. & Suddee, S. (2004). Additions to the Pteridophyte flora of Thailand. *Thai Forest Bulletin (Botany)* 32: 6–11.
- Ebihara, A., Dubuisson, J.-Y., Iwatsuki, K., Hennequin, S. & Ito, M. (2006). A taxonomic revision of Hymenophyllaceae. *Blumea* 51: 221–280.
- Fraser-Jenkins, C.R. (1997). New Species Syndrome in Indian Pteridology and the Ferns of Nepal. Dehra Dun, India.
- Holtum, R.E. (1978). *Lomariopsis* Group. Flora Malesiana, ser. II, Ferns and Fern Allies, 2: 255–330. Rijksherbarium/Hortus Botanicus, Leiden.
- _____. (1982 ['1981']). Thelypteridaceae. Flora Malesiana ser. II, Ferns and Fern Allies, 1: 331–560. Rijksherbarium/Hortus Botanicus, Leiden.
- _____. (1991). *Tectaria* Group. Flora Malesiana, ser. II, Ferns and Fern Allies, 2: 1–132. Rijksherbarium/Hortus Botanicus, Leiden.
- Holtum, R.E. & Grimes, J.W. (1980). The genus *Pseudocyclosorus* Ching (Thelypteridaceae). *Kew Bulletin* 34: 499–516.
- Hovenkamp, P.H. (1986). A Monograph of the Fern Genus *Pyrrosia*. Leiden University Press, Leiden., 280 pages.

- Hovenkamp, P.H., Bosman, M.T.M., Hennipman, E., Nooteboom, H.P., Rödl-Linder, G. & Roos, M.C. (1998). Polypodiaceae. In: Kalkman, C. et al. (eds), Flora Malesiana, ser. II, Ferns and Fern Allies, 3: 1–234. Rijksherbarium/Hortus Botanicus, Leiden.
- Hovenkamp, P.H. & Miyamoto, F. (2005). A conspectus of the native and naturalized species of *Nephrolepis* (Nephrolepidaceae) in the world. *Blumea* 50: 279–322.
- Iwatsuki, K., Yokoyama, J. & Murakami, N. (1998). *Hymenaspplenium inthanonense* (Aspleniaceae), a new fern species from Doi Inthanon, and its phylogenetic status. *Thai Forest Bulletin (Botany)* 26: 4–52.
- Khullar, S.P. 1994. An Illustrated Fern Flora of the West Himalaya. International Book Distributors.
- Kato, M. & Tsutsumi, C. (2008). Generic classification of Davalliaceae. *Acta Phytotaxonomica et Geobotanica* 59: 1–14.
- Kramer, K.U. (1971). *Lindsaea*-Group. Flora Malesiana, ser. II, Ferns and Fern Allies, 1: 177–254. Rijksherbarium/Hortus Botanicus, Leiden.
- Lindsay, S. & Middleton, D.J. (2004). *Adiantum phanomensis* (Adiantaceae), a new fern species from Peninsular Thailand. *Harvard Papers in Botany* 8: 137–140.
- _____. (2009a). New combinations in the ferns of Thailand. *Edinburgh Journal of Botany* 66: 355–361.
- _____. (2009b). Development of a multi-access key to the ferns of Thailand. *Thai Forest Bulletin (Botany)*, Special Issue: 134–137.
- _____. (2009c). *Lecanopteris pumila* Blume (Polypodiaceae), a new record for Thailand. *Thai Forest Bulletin (Botany)* 37: 59–63.
- Lindsay, S., Suddee, S., Middleton, D.J. & Pooma, R. (2004 [‘2003’]). Matoniaceae (Pteridophyta) – a new family record for Thailand. *Thai Forest Bulletin (Botany)* 31: 47–52.
- Lindsay, S., Middleton, D.J. & Suddee, S. (2008). Two new species of ferns from Thailand. *Thai Forest Bulletin (Botany)* 36: 46–51.
- Lu, S.G. (1999). Three new names for Chinese ferns. *Guishaia* 19: 27–28.
- McNeill, J., Barrie, F.R., Burdet, H.M., Demoulin, V., Hawksworth, D.L., Marhold, K., Nicolson, D.H., Prado, J., Silva, P.C., Skog, J.E., Wiersema, J.H. & Turland, N.J. (eds). (2006). International Code of Botanical Nomenclature (Vienna Code) adopted by the Seventeenth International Botanical Congress, Vienna, Austria, July 2005. Regnum Vegetabile 146. Ruggell: A.R.G. Gantner Verlag KG.
- Middleton, D.J. (2003). Progress on the Flora of Thailand. *Telopea* 10: 33–42.
- Mitsuta, S. (1985). Nine new records of ferns to Thailand flora. *Acta Phytotaxonomica et Geobotanica* 36: 148.
- Murdock, A.G. (2008). A taxonomic revision of the eusporangiate fern family Marattiaceae, with description of a new genus *Ptisana*. *Taxon* 57(3): 737–755.

- Nakaike, T. (1992). New Flora of Japan. Pteridophytes. Shibundo Co., Tokyo.
- Nooteboom, H. (1997). The microsoroid ferns (Polypodiaceae). *Blumea* 42: 261–395.
- _____. (1998). Davalliaceae. In: Kalkman, C. et al. (eds), *Flora Malesiana*, ser. II, Ferns and Fern Allies, 3: 235–276. Rijksherbarium/Hortus Botanicus, Leiden.
- Parris, B.S. (1998a). The addition of *Acrosorus streptophyllus* (Baker) Copel. (Grammitidaceae: Pteridophyta) to the flora of Thailand. *Fern Gazette* 15: 215–216.
- _____. (1998b). *Chrysogrammitis*, a new genus of Grammitidaceae (Filicales). *Kew Bulletin* 53: 909–918.
- _____. (2007). Five new genera and three new species of Grammitidaceae (Filicales) and the re-establishment of *Oreogrammitis*. *Gardens' Bulletin Singapore* 58: 233–273.
- Parris, B.S. & Latiff, A. (1997). Towards a pteridophyte flora of Malaysia: a provisional checklist of taxa. *Malayan Nature Journal* 50: 235–280.
- Petchsri, S., Boonkerd, T. & Baum, B.R. (2009). A first record of *Microsorum musifolium* Copel. (Polypodiaceae) from Thailand. *The Natural History Journal of Chulalongkorn University* 9(1): 99–104.
- Rödl-Linder, G. (1990). Monograph of the fern genus *Goniophlebium* (Polypodiaceae). *Blumea* 34: 277–423.
- Shieh, W.-C., Devol, C.E. & Kuo, C.-M. (1994). Athyriaceae. In: Huang, T.-C. (ed.), *Flora of Taiwan*, 2nd ed., vol. 1: 414–448.
- Smith, A.R., Pryer, K.M., Schuettpelz, E., Korall, P., Schneider, H. & Wolf, P.G. (2006). A classification of extant ferns. *Taxon* 55: 705–731.
- _____. (2008). Fern Classification. Pp. 417–467 In: Ranker, T.A. & Haufler, C.H. (eds), *Biology and Evolution of Ferns and Lycopophytes*, CUP, Cambridge.
- Suksathan, P. (2004). A new species of *Adiantum* (Pteridaceae) from Thailand. *American Fern Journal* 94: 77–80.
- Tagawa, M. & Iwatsuki, K. (1979). In: Smitinand, T. & Larsen, K. (eds), *Flora of Thailand*, Vol. 3, part 1. Royal Forest Department, Bangkok.
- _____. (1985). In: Smitinand, T. & Larsen, K. (eds), *Flora of Thailand*, Vol. 3, part 2. Royal Forest Department, Bangkok.
- _____. (1988). In: Smitinand, T. & Larsen, K. (eds), *Flora of Thailand*, Vol. 3, part 3. Royal Forest Department, Bangkok.
- _____. (1989). In: Smitinand, T. & Larsen, K. (eds), *Flora of Thailand*, Vol. 3, part 4. Royal Forest Department, Bangkok.
- Thompson, J.A. (2008). Morphotype and conflicting taxonomies in *Pteridium* (Dennstaedtiaceae; Pteridophyta). *Fern Gazette* 18: 101–109.
- Zhang, X.C. (1999a). Antrophyaceae. *Flora Reipublicae Popularis Sinicae* 3(2): 1–12 (in Chinese).
- _____. (1999b). Vittariaceae. *Flora Reipublicae Popularis Sinicae* 3(2): 12–31 (in Chinese).